



Interested in learning
more about security?

SANS Institute InfoSec Reading Room

This paper is from the SANS Institute Reading Room site. Reposting is not permitted without express written permission.

Internet Content Filtering

Ease of access and removal of the physical limitations of paper have led to an expanded focus on the Internet as a content source. The challenge to all organizations establishing access to this source is the inability to limit use of these capabilities to the specific content areas appropriate for the organization. In addition to entertainment opportunities for news, music, movies, and shopping which can consume bandwidth along with employee time, there is potential access to controversial content (i.e. gambling and po...

Copyright SANS Institute
Author Retains Full Rights

AD

DEEPARMOR®

Internet Content Filtering

Carol Woody

January 9, 2002

Background

Ease of access and removal of the physical limitations of paper have led to an expanded focus on the Internet as a content source. The challenge to all organizations establishing access to this source is the inability to limit use of these capabilities to the specific content areas appropriate for the organization. In addition to entertainment opportunities for news, music, movies, and shopping which can consume bandwidth along with employee time, there is potential access to controversial content (i.e. gambling and pornography) that carries legal restrictions in many geographic areas, as well as illegal content (i.e. obscene material and child pornography).

The business can be held liable for the illegal actions of employees using business facilities unless enforced company policies address inappropriate use. The Supreme Court in *Reno v. ACLU* declared that the local community standard is what must be applied to define the line between pornography and obscenity. This line is critical because pornography is protected by the Constitution under the First Amendment freedom of speech but not obscenity (Lane III). With the differences in regional perspectives, it is possible actions considered legal but controversial in one location will be illegal at another site. Without due care, the risk of exposure to illegal material is high. The online pornography industry is estimated to build to an annual level of \$2 billion by the end of 2001. Its advertising dollars have heavily financed many of the available Internet search sites such as Yahoo! (Lane III). SexTracker, a Web service that monitors adult sites reports 26,000 active web locations with as many as 60 million unique visitors a day (Webb).

Organizations have been surprised by the amount of “surfing for fun” that employees choose to perform. Vault.com research established the following breakdown of surfing habits in a recent survey of 451 employees:

During an average workday, how much time do you spend surfing non-work-related sites?

- 9.6% Never
- 18.4% Up to 10 minutes
- 25.1% 10-30 minutes
- 22.4% 30 minutes to 1 hour
- 11.9% 1-2 hours
- 12.6% Over 2 hours

And what do they say they are doing?

- Reading the news – 72%
- Making travel arrangements – 45%
- Making purchases – 40%
- Job search – 37%

- Visiting special interest sites – 37%
- Checking stocks – 34%
- Coordinating social events – 28%
- Instant messaging friends – 26%
- Downloading music – 13%
- Playing computer games – 11%
- Chat room surfing – 9%
- Visiting pornographic sites – 4%

Employee monitoring raises issues of privacy invasion and harassment if not handled appropriately though consistently enforced policies. Management must carefully balance the needs of the organization with the rights of the employees to establish an effective outcome. Privacy Foundation estimates over a third of the online workforce is subject to some form of monitoring and suggests that the low cost of applying monitoring is the reason for the high volume. Telephone monitoring is less prevalent, but considered just as subject to inappropriate business use (Schulman).

Acceptable Use Policy

At a minimum, organizations must protect their actions through the implementation of acceptable use policies (AUP), which are enforced. The AUP (also called an Internet Use Policy or IUP) codifies guidelines for online communication with specific sanctions for inappropriate use. Without these in place, the organization has limited options of recourse against employees that make inappropriate use of employer provided facilities. In addition, the organization runs the risk of shared liability for inappropriate employee actions that are deemed illegal by local authorities. SurfControl, a content filtering software provider, has a sample AUP that provides a starting point available for downloading at http://www.surfcontrol.com/resources/business/acceptable_use_policy/index.html.

While much of the sexually explicit material available on the Internet may not be illegal, organizations that do not define appropriate use run the risk of employee lawsuits related to sexual harassment and workplace intimidation (Cohen). Management that chooses to monitor employees without an AUP in place runs the risk of employee lawsuits related to invasion of privacy. Congress has considered passage of the Notice of Electronic Monitoring Act (NEMA) that will require companies to tell new hires what information is gathered and stored, how it is used and who knows about it. Management will be required to share this information with all employees annually (Vault.com).

Content Filtering

Some companies chose to block sites rather than trust employees not to be tempted. This puts the company into a difficult monitoring role because filtering content slows down the network and no filtering software works effectively all the time. The performance impact may be less of an issue as organizations implement filtering to handle denial-of-service monitoring needs (Householder). An email article from InformationWeek poses the possibility that pornography addiction may become a disability subject to the Americans with Disabilities Act protection (Soat). In such a case, filtering would be available as an appropriate deterrent to allow the employee to continue to be productive.

The application of content filtering requires two components: (1) a rating to be applied to each Internet address and (2) a filter module that uses the rating to determine whether to grant or block access to a site selection. Ratings can be assigned to the site through self-inclusion or via third party. Also ratings can be created within the filter module based on keywords that are considered objectionable. The filtering module can reside on the local machine, which is how a parent would monitor their children's access on the home computer; on a server at the organizational level using either a firewall or router location to initiate the screening; or at the Internet Service Provider level as is currently implemented by AOL.

The World Wide Web Consortium developed an open standard called PICS (Platform for Internet Content Selection) that provides a means for sites to incorporate a self-selected electronically readable rating within each web page. The PICS standard "establishes Internet conventions for label formats and distribution methods, while dictating neither a labeling vocabulary nor who should pay attention to which labels. It is analogous to specifying where on a package a label should appear, and in what font it should be printed, without specifying what it should say" (PICS). Rating options within the PICS standard are limited and do not offer context flexibility to separate nudity in pornography from nudity in art or objectionable violence in hate material from violent content in news reporting. Self-rating is subject to accidental or deliberate misinterpretation without penalty for errors.

There is much room for confusion in the implementation of the PICS standard. Use of stand-alone blocking software such as Net Nanny or CyberPatrol for the filtering module will allow the installer to select specific words to trigger a browser to block a site based on the site name or use of the selected word in a content page. Selected word blocking can also occur based on content in an ad appearing on the web page which may be unrelated to the actual content of the page and change with each individual request (Sobel).

The installer chooses how to inform the requestor of the blocking decision by blocking the full page or only blocking out the offending words. The latter approach can produce some very amusing responses. For example the poem "Owl and the Pussy Cat" and the nursery rhyme "pussycat, pussycat" suffer major revisions when the slang term "pussy" is blocked (TIFAP).

Implementation of a third-party rating system is done by categories created by the rating group (violence, profanity, sex, nudity, etc.) and screening is based on blocking some or all of the categories as defined at the filtering module. A web site is assigned a category by the rating group which is stored within a proprietary database maintained by the rating group and queried by a site based filtering module to make each access decision. Human researchers who check each web site and assign a category build the database. Sites are periodically rechecked for validity and new sites are added constantly. The vendor to initially categorize sites sometimes uses automation, but human review to confirm the designation is still required.

Vendors that automatically classify sites continue to appear; the cost savings is huge since it takes many resource hours to manually evaluate web pages and update current solutions, but none of the automated options have emerged as market winners so far.

Filtering Providers

Many of the older monitoring and blocking options were developed in response to parental concerns of exposing their child to unacceptable content. Independent rating groups such as United Federation of Child Safe Web Sites offer a ICCS Certified Child Safe rating for sites that submit their content to the group for review (Sobel). A quick search for “Internet filtering” using MSN Search brings up the link for “Internet Filtering Products for Business” (Group1Internet A.M.). This site provides links to a vast array of products organized for varying business sizes.

The 2001 leader in the market place for selling monitoring software is by reported sales dollars is Websense (www.websense.com) claiming 256 of the Fortune 500 as customers. This product can be incorporated in a firewall, router, proxy server, application server, or load balancer to identify and optionally block out content from the Internet. Options are available for restrictions based on time of day, employee role, rating category, or keyword. Websense has constructed the following groupings for web pages, which is accompanied with a strong disclaimer about liability for a web page assignment: abortion advocacy, advocacy groups, adult material, business & economy, drugs (based on US laws), education, entertainment, gambling, games, government, health, illegal/questionable, information technology, internet communication, job search, militancy/extremist, news & media, productivity management, bandwidth management, racism/hate, religion, shopping, society & lifestyle, special events, sports, tasteless, travel, vehicles, violence, and weapons.

The Websense master database provides category assignments for 600 million web pages with updates for an additional 25,000 weekly. Each filtering point requires installation of an appropriate filtering module and access to a copy of the database, which must be maintained frequently to stay current. Category assignments are made through a combination of automated and manual procedures. The vendor claims to have covered “the most frequently accessed sites on the Web.” These assignments are built manually and the vendor offers a procedure for web page owners to dispute the category decision.

Many firewall and router packages can accept rules to evaluate packets for content and screen them from availability eliminating the need for purchase and maintenance of additional software. Appropriate implementation of screening becomes the responsibility of already overworked network support staff. Inappropriate filtering is easily included and the rules are hidden from the general user lending credibility to a censorship attack. The reported processing impact on the network has not been acceptable resulting in sluggish download times in experiments on high volume environments (TIFAP).

Un-rated Sites

Steve Lawrence and Lee Giles of NEC Institute researchers identified 320 million “pages as the 1999 size of the Web (Lawrence & Giles). As of November 2001 another source reported over 16 million hosts within 95 top-level domains and an unknown number of web

pages (RIPE NCC). Estimates of growth range from a top rate of 1000% in 1994 down to low rate of 100% (Coffman). The volume of information available on the Internet and the global expansion pace makes it impossible for any third party source to classify every site leaving vast amounts of content without a rating.

Early options based on ratings required a decision to accept or reject un-rated pages unconditionally. More recent implementations allow for key word screening to remove unacceptable language.

None of the filters currently available address images. At best, they rely on the text file name of the image to provide sufficient description to evaluate the contents. There is much research underway seeking to identify appropriate ways to handle images. Junichi Tatemura has constructed the Web Graphics Navigator (<http://graphics.media.iis.u-tokyo.ac.jp/webgnavi.cgi?uid=UYVlsudgdQdXEPHo&lang=en>) as an analysis tool to experiment with filtering-by-example capabilities, but none of this is ready for extensive use.

Filtering Reviews

Research has shown that all existing implementations of content filtering exhibit many inaccuracies. The Electronic Privacy Information Center (EPIC) reported the conclusion that available filtering was faulty based on the wide difference between the number of matching documents returned by each filtered search versus unfiltered searches using single word search requests (Sobel). A recent test conducted by Consumer Reports comparing a selection of popular filtering options reported a failure rate of 14 – 23% in blocking against objectionable sites (Magid).

Many of the category designations are subjective. The U.S. Anti-Defamation League (ADL) has issued software called HateFilter to block anti-Semitic, racist, and extremist Web sites. Cyber Patrol was attacked by censorship foes for blocking all homosexual references in 1998 and had to rewrite their software filtering module to include previously blocked sites. The Commission on Online Child Protection issues a warning on their web page that the “technology raises First Amendment concerns because of its potential to be over-inclusive in blocking content. Concerns are increased because the extent of blocking is often unclear and not disclosed” (COPA).

The Internet Filtering Assessment Project (TIFAP) ran from April to September 1997. This volunteer project involved forty librarians testing seventeen products in an effort to understand how the filtering processes worked within a library setting. While their approach was not scientific, the results provide a broad perspective on the use of filtering in an information intensive environment. Their results show that keyword blocking does not work without appropriate adjustments for the needs of each site. Keyword blocking impacted access to nursery rhymes and simple words such as “button.” Category selection was frequently too broad to provide effective filtering of offensive materials; filters perform badly blocking needed content in 35% of the searches. The conclusion is that individual evaluation is still needed a great deal to effectively differentiate appropriate content from inappropriate materials.

Current Status

Organizations must consider the need for clearly defining to employees why Internet access is available and the policy applicable for filtering to counter attacks of unreasonable censorship. The filtering process and results must match this limitation structure or employers risk restricting workers from information needed to perform their job.

Employee monitoring of Internet use is awkward at best. An acceptable use policy is critical to defining what is acceptable and providing a means of justification for monitoring or filtering. The use of software to filter content must be carefully applied to avoid censorship of critically needed materials, and current vendor offerings may be too limiting for your organization.

Resources must be applied to establish and maintain the filtering process. Bandwidth must be applied to review each requested packet and screen out offensive material. If screening is based on vendor-supplied categories, updates will be required on a daily or weekly basis to keep pace with Internet growth.

Reference List

Coffman, K.G., Odlyzko, A. (2001). *The Size and Growth Rate of the Internet*.
http://www.firstmonday.dk/issues/issue3_10/coffman/.

Cohen, Alan. No Web For You!. *FSB, October 2000*.

COPA, Commission on Online Child Protection,
<http://www.copacommission.org/report/filteringblocking.shtml>

Group1Internet A.M. <http://www.group1iam.com/cgi-bin/iam/index.html>

Householder, A., Manion, A., Pesante, L., Weaver, G.M., (2001) *Managing the Threat of Denial-of-Service Attacks*, Carnegie Mellon University.

Lane III, F. S. (2000). *Obscene Profits*. New York: Routledge.

Lawrence, S., & Giles, L. (1999). *How Big is the Web?*
<http://www.neci.nj.nec.com/homepages/lawrence/websize.html>

Magid, L. (2001). *Rating the Internet filtering programs*.
http://www.larrysworld.com/articles/sjm_filtering.htm

Privacy Foundation, <http://www.privacyfoundation.org/workplace/technology/extent.asp>

PICS Standard, <http://www.w3.org/PICS/iacwcv2.htm>

RIPE NCC. <http://www.ripe.net/statistics/hostcount/2001/11/index.html>

Schulman, A. (2001). *The Extent of Systematic Monitoring of Employee E-mail and Internet Use*. <http://www.privacyfoundation.org/workplace/technology/extent.asp>

Soat, J. (2002). *John Soat: Confidential*, InformationWeek BetweenTheLines, email distribution January 6, 2002.

Sobel, D. L. (Ed.). (1999). *Filters & Freedom* (First ed.). Washington, DC: Electronic Privacy Information Center.

TIFAP. Learning from TIFAP, <http://www.bluehighways.com/tifap/learn.htm>

United States Congress (1998). *Internet Filtering Systems: Report of the Committee on Commerce, Science, & Transportation*. Washington, DC: United States Congress US GPO.

Vault.com.

<http://www.vault.com/surveys/internetuse2000/results2000.jsp;jsessionid=0urqaiykr2d10a3296?results=2&image=employee>.

http://www.vault.com/nr/newsmain.jsp?nr_page=3&ch_id=420&article_id=19332&cat_id=1422

Webb, G. (2001). Sex and the Internet. *Yahoo!*, May 2001, 88-95,136-137.

Websense, www.netpart.com/products/about/wse/index.cfm.

Tatemura, J., Santini, S., Jain, R., Social and Content-based Information Filtering for a Web Graphics Recommender System. Proceedings of the 10th International Conference on Image Analysis and Processing (ICIAP).

<http://www.computer.org/proceedings/iciap/0040/00400842abs.htm>

© SANS Institute 2002. Author retains full rights.



Upcoming SANS Training

[Click Here for a full list of all Upcoming SANS Events by Location](#)

SANS 2018	Orlando, FLUS	Apr 03, 2018 - Apr 10, 2018	Live Event
SANS Abu Dhabi 2018	Abu Dhabi, AE	Apr 07, 2018 - Apr 12, 2018	Live Event
Pre-RSA® Conference Training	San Francisco, CAUS	Apr 11, 2018 - Apr 16, 2018	Live Event
SANS London April 2018	London, GB	Apr 16, 2018 - Apr 21, 2018	Live Event
SANS Zurich 2018	Zurich, CH	Apr 16, 2018 - Apr 21, 2018	Live Event
SANS Baltimore Spring 2018	Baltimore, MDUS	Apr 21, 2018 - Apr 28, 2018	Live Event
SANS Seattle Spring 2018	Seattle, WAUS	Apr 23, 2018 - Apr 28, 2018	Live Event
Blue Team Summit & Training 2018	Louisville, KYUS	Apr 23, 2018 - Apr 30, 2018	Live Event
SANS Riyadh April 2018	Riyadh, SA	Apr 28, 2018 - May 03, 2018	Live Event
SANS Doha 2018	Doha, QA	Apr 28, 2018 - May 03, 2018	Live Event
SANS SEC460: Enterprise Threat Beta Two	Crystal City, VAUS	Apr 30, 2018 - May 05, 2018	Live Event
Automotive Cybersecurity Summit & Training 2018	Chicago, ILUS	May 01, 2018 - May 08, 2018	Live Event
SANS SEC504 in Thai 2018	Bangkok, TH	May 07, 2018 - May 12, 2018	Live Event
SANS Security West 2018	San Diego, CAUS	May 11, 2018 - May 18, 2018	Live Event
SANS Melbourne 2018	Melbourne, AU	May 14, 2018 - May 26, 2018	Live Event
SANS Northern VA Reston Spring 2018	Reston, VAUS	May 20, 2018 - May 25, 2018	Live Event
SANS Amsterdam May 2018	Amsterdam, NL	May 28, 2018 - Jun 02, 2018	Live Event
SANS Atlanta 2018	Atlanta, GAUS	May 29, 2018 - Jun 03, 2018	Live Event
SANS London June 2018	London, GB	Jun 04, 2018 - Jun 12, 2018	Live Event
SANS Rocky Mountain 2018	Denver, COUS	Jun 04, 2018 - Jun 09, 2018	Live Event
DFIR Summit & Training 2018	Austin, TXUS	Jun 07, 2018 - Jun 14, 2018	Live Event
SANS Milan June 2018	Milan, IT	Jun 11, 2018 - Jun 16, 2018	Live Event
SANS ICS Europe Summit and Training 2018	Munich, DE	Jun 18, 2018 - Jun 23, 2018	Live Event
SANS Crystal City 2018	Arlington, VAUS	Jun 18, 2018 - Jun 23, 2018	Live Event
SANS Oslo June 2018	Oslo, NO	Jun 18, 2018 - Jun 23, 2018	Live Event
SANS Cyber Defence Japan 2018	Tokyo, JP	Jun 18, 2018 - Jun 30, 2018	Live Event
SANS Philippines 2018	Manila, PH	Jun 18, 2018 - Jun 23, 2018	Live Event
SANS Boston Spring 2018	OnlineMAUS	Mar 25, 2018 - Mar 30, 2018	Live Event
SANS OnDemand	Books & MP3s OnlyUS	Anytime	Self Paced