



SANS Institute

Information Security Reading Room

More Secure at home Using Linux

Hans Lie

Copyright SANS Institute 2019. Author Retains Full Rights.

This paper is from the SANS Institute Reading Room site. Reposting is not permitted without express written permission.

More Secure @home using Linux

Hans Lie

September 15, 2001

Introduction

I invested in a new PC at home and wanted to get a faster connection, than the current isdn setup I have today. Since I am starting to work with security I also wanted to find a good solution to protect the data I have. I have not decided what type of connection I will get, but it will be cable, adsl or wireless, so I have to make a flexible solution. It is my intent to stay connected to the Internet 24x7. I could have used one of the personal firewalls for Windows, but I feel more comfortable with a less graphical environment, where I have more control over what is happening. It forces me to know more about how things are interconnected. The best part of it, it's more fun. At least I thought so.

Threats

So what is it I try to protect, why bother?

Well, I have a small network with a few computers, mostly Linux, a Windows 98 computer, and a laser printer. I use them for several things:

Web surfing, On-line Banking and trading, mail and news, private economy programs, personal letters, genealogy research, store family pictures, contact information and connect my computer to the corporate LAN.

I believe several of these are common to a lot of people.

Today people have pretty speedy computers at home, and more connect them up to the Internet 24*7*365, through high-speed connections. Most of the day these computers are idle, and waiting for something to do. It is very tempting for a lot of people to break in to these computers, and use them for whatever cause they believe in. Some use them as a launch pad for other break-ins, making it harder to trace back the attack to the originator. Other uses could be as part of a bigger task, like a distributed cracking of passwords, or finding out if there is life in outer space. Whatever reasons people have, the default setup of today's computers makes it pretty easy to breaking, unless the owners take some measures to protect the computers.

I have asked myself, why people go online without protecting their computers. Most people lock up their home, when they leave it. I believe it is a basic trust in computers, and lack of knowledge.

Some years ago, viruses started to flow around. After some years, corporates realized they had to protect themselves, and they did it in the perimeter, and on the servers. They started to inform the employees about the threat and said they should check all

floppies for viruses. What we see today is that most people have anti-virus software programs on the desktops. Every new pc bought today is protected, with software, but the users don't update it, so they are not protected for long.

Seems like the same cycle is coming with firewalls. First businesses started putting up firewalls. Now more and more people have the same speedy connection at home, and the need also arises here. Many magazines now have started to write about the need to install personal firewalls at home, but will the consumers listen and act?

"For consumers, no matter how many times you indicate to someone that they ought to have antivirus software and a firewall installed, they have to be in the right mindset or they don't do it"

-- Eric Hemmendinger, research director for information security, Aberdeen Group.

According to the Cert Advisory: CA-2001-20, about home security

This year, we have seen a significant increase in activity resulting in compromises of home user machines. In many cases, these machines are then used by intruders to launch attacks against other organizations. Home users have generally been the least prepared to defend against attacks. Many home users do not keep their machines up to date with security patches and workarounds, do not run current anti-virus software, and do not exercise caution when handling email attachments. Intruders know this, and we have seen a marked increase in intruders specifically targeting home users who have cable modem and DSL connections.

Some of the information I keep in my computer I would like to keep secret. It should be available when I need them, and should not be altered without my knowledge. This brings us to the three pillars of security, which is fundamental in information security:

C-I-A triad

Confidentiality	Keeping information private or secret, and to avoid disclosing information to those who don't need it. It can be achieved by use of encryption, separate it from publicly available information or use access control to determine who gets to see the information.
Integrity	Keeping the information complete and unaltered, keep a record of all changes of the information, and make sure only authorized personnel are allowed change it.
Availability	Having the information available to those who need it, when they need it.

What are the threats to my computers?


Physical The computers are all situated in my condominium, and a burglar could just go in and grab the boxes.

- Virus** There are a lot of mails circulating with attached viruses.
- Script kiddies** People running scripts or programs to probe computers for vulnerabilities, exploiting these vulnerabilities to gain access to computer systems. Little knowledge required doing this, and the programs are easy to obtain. Once access is acquired they can install 'back-doors', to make it easier to return to the system.
- Vandals** Wants to make visible damage to my data.

Protection

In order to protect my valuable information I will apply a principle known as defense-in-depth.

If you look at the figure, you see that we place the things we want to protect in the middle. Around the center we put successive (gray) layers of protection. Even though we use several means of protecting the data, does not make it impossible to get to the information, but it sure makes it harder. The concept of in-depth-in-depth is not limited to information only, but also useful in other areas, e.g. physical security, and other thing you might want to protect.




Another important thing is to know-your-system: If you know how your system behaves, it is much easier to tell if something is wrong. Ideally you should use some time every day to get to know it.

Implementation

Of course I could have used some sort of Windows type of firewall, but I kind of hate the feeling of not know what is happening on the system. Well I guess I have worked to long with UNIX, to even thing about using Microsoft stuff. I didn't want to pay too much either and I have a pile of old pentiums I could use, they should be good enough for the tasks.

I'll show you a picture of what I try to do. I have a network at home, with a few hosts. This is a simplified view, since I also got a Laser Printer and a few other hosts. I want to be ready to get a speedier connection, as soon as it's available in my neighborhood. I hope to get a wireless connection, since they provide the best speed, but if it takes to long I will consider cable or adsl as well. Originally I hoped to use floppyfw, as my firewall, but I have not been able to verify, that they supports wireless connection.



When I started to implement the security I decided to go for RedHat-7.1 as a basis. The reason for this is that I have used

RedHat for years, and it is the one Linux distribution I know best. If we take a look at the firewall, panther, I installed a customized version of RedHat-7.1. I installed as few packages as I could, in the spirit of 'small is beautiful'. It is also easier to get to know a smaller system, and there are fewer vulnerabilities to exploit. I installed the updates I could find, and keep checking for updates, to be released. There are lots of bugs ready to be exploited, and I want to get rid of them if I can. There are some tools, like autoprpm for updating the systems automatically, but I like to check the system myself before installing the updates. I will probably look into a solution that will notify me when there is anything new.

There were some factors I knew I wanted in a new system, all part of my in-depth-in-depth strategy:

- Netfilter/IP Tables - to block all traffic except what I wanted to allow
- Network Address Translation (NAT) - to hide the ip-setup of my internal network to the world, so they can't scan the ports of my internal hosts.
- tcp_wrappers - to limit which ip-addresses are allowed to connect to the services I allow into the firewall
- A few user accounts with solid passwords, remove the rest
- ssh - only allow remote login to the system via secure channels. Disable telnet and ftp.
- Integrity of files on the system - tripwire and rpm -V
- syslog - remote logging to a dedicated host.
- ntp - to synchronize the time to a accurate time-source
- Use the SANS: Securing Linux: Step-by-step - to check other things I have forgotten. Get a copy of that paper, if you don't have it already.
- Need a regular backup of the system as well.
- Updated Anti-virus software, on MS Windows boxes.

I remembered hearing, a while ago, about Linux software that was supposed to tighten up the system. It was called Bastille, so I decided to take a closer look at it.

1) Bastille Linux

This is what they say about themselves:

The Bastille Hardening System attempts to "harden" or "tighten" the Linux operating system. It currently supports Red Hat and Mandrake systems. We attempt to provide the most secure, yet usable, system possible. The project is run by Jon Lasser, Lead Coordinator and Jay Beale, Lead Developer, and involves a number of developers, beta-testers and concept-creators. Bastille Linux was developed with several major goals:

Comprehensiveness	Bastille Linux draws from every available major reputable source on Linux Security. The initial development integrated Jay Beale's existing O/S
--------------------------	---

	hardening experience for Solaris and Linux with most major points from the SANS' Securing Linux Step by Step, Kurt Seifried's Linux Administrator's Security Guide, and countless other sources.
Instructiveness	Bastille Linux has been designed to educate the installing administrator about the security issues involved in each of the script's tasks, thereby securing both the box and the administrator. Each step is optional and contains a description of the security issues involved.
Community	Once the initial development was near complete, we brought the effort to the developers of the Bastille Discussion mailing list. Further, we began soliciting outside suggestions and testing. The script was GPL'd promptly and the Specification shared.

a) Features

- Packet Filters: IP Tables/Chains
- NAT
- Disables SUID programs
- Users: Password aging, Restrict root-login to local ttys at console, Password Protect single-user mode, and Restrict console-login to a few accounts
- Restrict use of cron to administrative accounts only (/etc/cron.allow)
- Password protect boot loader (LILO)
- Disable Ctrl-Alt-Del rebooting
- Setup a default deny on tcp-wrappers.
- Deactivates telnet and ftp
- Setup extra logging to tty's and files
- Log to a remote loghost
- Process accounting - log who's doing what, when
- Deactivate routing daemon
- Restrict sendmail

And even more. Bastille adapts to what is installed on the system. If you don't have a dns-server installed on the host, you will not get questions about securing the server.

Bastille has a lot of what I originally wanted and even more. It made the setup of the firewall much easier than I had expected.

b) Installing

It is really easy to install, just download three rpm-packages from www.bastille-linux.org and install them. You have to decide if you want to configure the firewall, using X-windows or the console (higher security). Depending on which interface you choose.


- Main RPM (Bastille)
- Using Console
 - Bastille-Curses-module
 - perl-Curses
- Using X-windows
 - Bastille-Tk-module
 - perl-Tk

I choose the console version, since I don't want X-windows on the firewall.

c) Configuring

After the packages are installed you just have to start: **InteractiveBastille**

Here is a screenshot from the configuration of Bastille:



The questions you have to answer are explained well, and it also gives you guidance if you are in doubt. If you have to give other input than yes or no, the examples are excellent.

At the end it asks if you want to use the firewall, and start it at every boot of the host. Then you're all set.

2) Other measures

Bastille did most of what I wanted, but I still lacked file integrity check. For this there are two things I do to check if anything has changed.

a) tripwire

is bundled with RedHat, so it's just to install the package.

- Then run `/etc/tripwire/twinstall.sh`, and follow the direction.
- Once that is finished you have to edit the policy file: `/etc/tripwire/tw-pol.txt`. In this file you setup which files you want to check regularly, and which alarm level to set if it has changed.
- Now you are able to apply the policy, using: `twadmin -m P /etc/tripwire/tw-pol.txt`
- Initialize tripwire using: `tripwire -init`
- Check the host for changes using: `tripwire --check`, this is done daily by cron, so all you have to do is to check the mail.
- If you have installed new files, and want to acknowledge the changes: `tripwire -update -r <report file>`, find the latest report-file in `/var/lib/tripwire/report`

b) rpm -V <package>

a way to check that the files in a package has not changed

c) ssh

in addition to using ssh instead of telnet I, used two additional measures secure the sshd on the host:

- Limit from which ip-addresses I can login to the firewall (`/etc/hosts.allow`)
- Only allow a few users to login via ssh. root is not one of them.

There is an option in `/etc/ssh/sshd_config`, called `AllowGroups` who let me say that only users of a certain Unix-group is allowed to login to the system. There is another option to disallow root to login: `PermitRootLogin`

© SANS Institute
Author retains full rights

Conclusion

To state is simple:

"If you are not connected to the Internet, then you don't need a firewall.
Otherwise, you do"

"If you loose your data and identity, the ultimate impact on your life is
real"

According to Gregor Freund, CEO of ZoneLabs

Check out Cert: "Home Network Security", for more information about threats and actions you can do to protect your computer.

It has been brought to my attention, that there are some problems with the wireless protocol 802.11b. Seems like it is possible to discover the 'secret' key that is used to encrypt the data. Check the reference for more information.

One thing is for sure, nothing is secure. If you use defense-in-depth, relying on several means, you are better protected than many others.

References

- RedHat <http://www.redhat.com/>
- Bastille Linux <http://www.bastille-linux.org/>
- IP Tables <http://netfilter.samba.org/>
- Home and Small Office http://www.sans.org/infosecFAQ/homeoffice/homeoffice_list.htm
- Step-by-Step Security Guides <http://www.sansstore.org/>
- floppyfw <http://www.zelow.no/floppyfw/>
- trinux <http://trinux.sourceforge.net/tools.html>
- Usefull security Articles <http://www.bastille-linux.org/jay/security-articles-jjb.html>
- autorpm <http://www.kaybee.org/~kirk/html/linux.html>
- Home PC users wake up to need for firewalls <http://news.cnet.com/news/0-1006-200-6994590.html?tag=prntfr>
- Home Network Security http://www.cert.org/tech_tips/home_networks.html
- tripwire <http://www.tripwire.org/>
- Wireless protocol problems <http://www.isaac.cs.berkeley.edu/isaac/wep-faq.html>
<http://www.powerbookcentral.com/columns/knowles/052101.shtml>
<http://www.zdnet.com/special/stories/wireless/0,10676,5095205,00.html>



Upcoming SANS Training

[Click here to view a list of all SANS Courses](#)

SANS Reno Tahoe 2019	Reno, NVUS	Feb 25, 2019 - Mar 02, 2019	Live Event
SANS Brussels February 2019	Brussels, BE	Feb 25, 2019 - Mar 02, 2019	Live Event
Open-Source Intelligence Summit & Training 2019	Alexandria, VAUS	Feb 25, 2019 - Mar 03, 2019	Live Event
SANS Baltimore Spring 2019	Baltimore, MDUS	Mar 02, 2019 - Mar 09, 2019	Live Event
SANS Training at RSA Conference 2019	San Francisco, CAUS	Mar 03, 2019 - Mar 04, 2019	Live Event
SANS Secure India 2019	Bangalore, IN	Mar 04, 2019 - Mar 09, 2019	Live Event
SANS St. Louis 2019	St. Louis, MOUS	Mar 11, 2019 - Mar 16, 2019	Live Event
SANS San Francisco Spring 2019	San Francisco, CAUS	Mar 11, 2019 - Mar 16, 2019	Live Event
SANS London March 2019	London, GB	Mar 11, 2019 - Mar 16, 2019	Live Event
SANS Secure Singapore 2019	Singapore, SG	Mar 11, 2019 - Mar 23, 2019	Live Event
SANS Secure Canberra 2019	Canberra, AU	Mar 18, 2019 - Mar 29, 2019	Live Event
SANS SEC504 Paris March 2019 (in French)	Paris, FR	Mar 18, 2019 - Mar 23, 2019	Live Event
SANS Munich March 2019	Munich, DE	Mar 18, 2019 - Mar 23, 2019	Live Event
SANS Norfolk 2019	Norfolk, VAUS	Mar 18, 2019 - Mar 23, 2019	Live Event
ICS Security Summit & Training 2019	Orlando, FLUS	Mar 18, 2019 - Mar 25, 2019	Live Event
SANS Doha March 2019	Doha, QA	Mar 23, 2019 - Mar 28, 2019	Live Event
SANS Jeddah March 2019	Jeddah, SA	Mar 23, 2019 - Mar 28, 2019	Live Event
SANS SEC560 Paris March 2019 (in French)	Paris, FR	Mar 25, 2019 - Mar 30, 2019	Live Event
SANS Madrid March 2019	Madrid, ES	Mar 25, 2019 - Mar 30, 2019	Live Event
SANS 2019	Orlando, FLUS	Apr 01, 2019 - Apr 08, 2019	Live Event
SANS Cyber Security Middle East Summit	Abu Dhabi, AE	Apr 04, 2019 - Apr 11, 2019	Live Event
SANS London April 2019	London, GB	Apr 08, 2019 - Apr 13, 2019	Live Event
Blue Team Summit & Training 2019	Louisville, KYUS	Apr 11, 2019 - Apr 18, 2019	Live Event
SANS Riyadh April 2019	Riyadh, SA	Apr 13, 2019 - Apr 18, 2019	Live Event
SANS Seattle Spring 2019	Seattle, WAUS	Apr 14, 2019 - Apr 19, 2019	Live Event
SANS Boston Spring 2019	Boston, MAUS	Apr 14, 2019 - Apr 19, 2019	Live Event
FOR498 Battlefield Forensics Beta 1	Arlington, VAUS	Apr 15, 2019 - Apr 20, 2019	Live Event
SANS FOR585 Madrid April 2019 (in Spanish)	Madrid, ES	Apr 22, 2019 - Apr 27, 2019	Live Event
SANS Northern Virginia- Alexandria 2019	Alexandria, VAUS	Apr 23, 2019 - Apr 28, 2019	Live Event
SANS Muscat April 2019	Muscat, OM	Apr 27, 2019 - May 02, 2019	Live Event
SANS Pen Test Austin 2019	Austin, TXUS	Apr 29, 2019 - May 04, 2019	Live Event
Cloud Security Summit & Training 2019	San Jose, CAUS	Apr 29, 2019 - May 06, 2019	Live Event
SANS Riyadh February 2019	OnlineSA	Feb 23, 2019 - Feb 28, 2019	Live Event
SANS OnDemand	Books & MP3s OnlyUS	Anytime	Self Paced