



Interested in learning  
more about security?

# SANS Institute InfoSec Reading Room

This paper is from the SANS Institute Reading Room site. Reposting is not permitted without express written permission.

## Humans... The Overlooked Asset

Humans often represent the most important component of the information system and are chronically responsible for either the failure or the robustness of the information system. Organizations frequently seek to evaluate, select and employ a variety of controls so as to maintain a secure Information System. In order to have the best operational information system, you must appreciate humans as the most valuable information asset. Pursuant to this perspective, we seek to understand the nature of humans when handling info...

Copyright SANS Institute  
Author Retains Full Rights

AD

DEEPARMOR®

# Humans... The Overlooked Asset

*GIAC (GSEC) Gold Certification*

Author: Muhammad Elharmeel, [linkedin.com/in/0xhandler/](https://www.linkedin.com/in/0xhandler/)

Advisor: Becky Fowler

Accepted: November 1st 2009

## Abstract

Humans often represent the most important component of the information system and are chronically responsible for either the failure or the robustness of the information system. Organizations frequently seek to evaluate, select and employ a variety of controls so as to maintain a secure Information System. In order to have the best operational information system, you must appreciate humans as the most valuable information asset. Pursuant to this perspective, we seek to understand the nature of humans when handling information. Factors to be considered include: vulnerabilities within humans, threats that could exploit those vulnerabilities, applicable controls and finally pondering them as a key element in an efficient information system. This assertion raises a question about what should be done in order to make the best use of humans as a business enabler supporting the pillars of a professional business environment.

## 1. Introduction

### Humans... The Overlooked Asset

1.1. “*When the map and the territory don’t agree, always believe the territory*” Gause and Weinberg – describing Swedish Army Training.

GIAC (GSEC) Gold Certification

Author: Muhammad Elharmeel, [linkedin.com/in/Oxhandler/](https://www.linkedin.com/in/Oxhandler/)  
Advisor: Becky Fowler

The above quote describes a critical issue that we often face. When it comes to reality, you will be astonished of how far you are away from the ideal scenario. By mapping this to an operational information system, it is anticipated that the system will have deviation from the ideal posture. What is written in 2009 or security policy is not necessary what is implemented in the reality. Humans represent about sixty percent of the system; they are the operators of the system, assets in the system and at the same time controls that are supposed to secure the system. Thus, failure to successfully understand the nature of such asset will make the system deviate from its ideal secure posture and can seriously impact the system.

Abstract

The purpose of this paper is to highlight controls that are applicable to humans from a risk management perspective and to help understand the nature of humans, which is critically important to secure an information system.

### 1.2. Limitations

The second and third sections of this paper discuss a sampling of possible human vulnerabilities and threats but do not represent an exhaustive list. This paper mainly addresses the applicable controls rather than vulnerabilities & threats.

### 1.3. Target Audience

This paper is meant for personnel who are charged with maintaining and operating the Information System within an organization and those who are responsible for providing information security awareness sessions for employees. The goal is to help information security professionals implement and manage the most appropriate controls applicable to humans to best meet the organization’s mission and business needs.

Muhammad EL-Harmeel, [Muhammad.Elharmeel@Gmail.com](mailto:Muhammad.Elharmeel@Gmail.com)

## 2. Human as Assets

### 2.1. Definitions


# Humans... The Overlooked Asset

#### 2.1.1. Information Security<sup>1</sup>

GIAC (GSEC) Gold Certification

Author: Muhammad Elharmeel, [linkedin.com/in/0xhandler/](https://www.linkedin.com/in/0xhandler/)

Advisor: Becky Fowler



#### Information Security Model - (ATKTECHK, 2009)

Preservation of confidentiality, integrity and availability of information; in addition other properties such as authenticity, accountability, non-repudiation, and reliability can also be involved. [BS ISO/IEC 27002:2005].

#### 2.1.2. Asset

Anything that has value to the organization. [ISO/IEC 13335-1:2004].

<sup>1</sup> Note. From "BS ISO/IEC 27002:2005" by British Standards Institute, Terms and Definitions, p. 1. Copyright by BSI. Reprinted with permission

Muhammad EL-Harmeel, [Muhammad.Elharmeel@Gmail.com](mailto:Muhammad.Elharmeel@Gmail.com)

### 2.1.3. Vulnerability

A weakness of an asset or group of assets that can be exploited by one or more threats.

[ISO/IEC 13335-1:2004] **Humans... The Overlooked Asset**


### 2.1.4. Threat *GIAC (GSEC) Gold Certification*

A potential cause of unwanted incident, which may result in harm to a system or organization. [ISO/IEC 13335-1:2004] Author: Muhammad Elharmeel, [linkedin.com/in/oxhandler/](https://www.linkedin.com/in/oxhandler/) Advisor: Becky Fowler

Accepted: November 1st 2009

Abstract

The following model demonstrates the relation between assets, vulnerabilities and threats.



**Threat-Vulnerability-Asset Model - (Microsoft TechNet, 2009)**

A single asset can have multiple vulnerabilities and the same concept applies to threats as a single vulnerability can be exploited by multiple threats. According to this perspective there are a vast diversity of patterns that should be analyzed on an individual basis to determine the risk.

Muhammad EL-Harmeel, Muhammad.Elharmeel@Gmail.com

### 2.1.5. Security Controls

The management, operational, and technical controls (i.e., safeguards or countermeasures) protect for an information system or process confidentiality, integrity, and availability of the system and its information.. [NIST SP800-53].

### 2.1.6. Risk Management

Coordinated activities to direct and control an organization with regard to risk [ISO Guide 73:2002].

## 2.2. Human Vulnerabilities

Accepted: November 1st 2009

Human vulnerabilities are common types of vulnerabilities that reside in the information system. The key characteristic of human vulnerabilities is that they are caused by humans. It can be defined as a shortcoming in a human’s attitude or behavior that may lead to violation of the information system’s security policy.

Human vulnerabilities are associated with bad habits and attitudes. Those habits and attitudes could be exploited by multiple threats, thus it is critical to evaluate humans in the information system from an attitude perspective. Bad habits such as carelessness, ignorance and low level of awareness are classic examples of such attitudes.

The following table will demonstrate some human vulnerabilities in addition to examples of threats that may exploit them. Needless to say a single vulnerability can be exploited by multiple threats.

Vulnerability	Could be exploited by
Negligence	<b>Technical threats, Worm.</b> A reckless administrator who has overlooked updating the antivirus engine will be infected with a newly developed worm. (Schoenberg, 2009)
Fear From Authority	<b>Spoofing &amp; impersonation</b> An employee getting a call from an outsider who impersonates a high authority person – General Manager – requesting to reset his own password. Instead of asking this outsider to prove his identity by requesting a password reset through official mail, the employee responds to this request

Muhammad EL-Harmeel, Muhammad.Elharmeel@Gmail.com

	immediately especially if the intruder was pushing. (Gragg,2009)
Insufficient security training	<p><b>Phishing</b> The most common form of phishing is when a user receives an email that claims to be from his bank asking him to reset or confirm his credentials. Once the user clicks on the link he will be redirected to a fake website exactly like the original banking website. He will be asked to enter his credentials which are sent directly to the attacker rather than the real account.</p> <p><b>Author:</b> Muhammad Elharmeel, linkedin.com/in/Oxhandler/</p> <p><b>Advisor:</b> Ricky Fowler</p>
Unmotivated or disgruntled staff	<p><b>Misuse of information processing facilities</b> An angry former employee may try to do damage to the facilities or equipment of the organization as a way to seek revenge. (Kratt, 2009)</p> <p>Accepted: November 1st 2009</p>
Natural Tendency to be Helpful	<p><b>Tailgating</b> There are a wide range of examples that can demonstrate how this vulnerability could affect physical security. One could be pretending to be carrying a heavy load and need help to open the door. Human nature and courtesy may cause someone to open the door without even checking an ID. (Stevens, 2009)</p> <p>Abstract</p>

One last thing to highlight is the importance of having a methodology and a systematic way for identifying human vulnerabilities, especially in the dynamic information systems commonly found in large organizations. These organizations will probably be subject to frequent changes in workforce levels.

One proposed way for identifying human vulnerabilities is to conduct a human-based penetration test.

A human based penetration test follows the same methodology as a network based penetration test as defined in the below diagram





#### Abstract

The main difference is the target. A human based penetration test targets humans only while a network based penetration test targets technical vulnerabilities such as those found in routers and switches. Human based penetration tests try to reveal critical security issues within humans (most probably bad habits) that may lead to a security breach. The following steps will show how this model could be applied to humans.

- **Reconnaissance:** getting as much information about the victim from public and social networking websites.
- **Scanning:** spotting the best entrance that matches the victim's character such as curiosity and natural tendency to be helpful.
- **Gaining Access:** using social engineering to exploit the addressed vulnerability.
- **Maintaining Access:** building a trust relationship with the victim for later use if needed.
- **Clearing Tracks:** getting rid of any evidence used earlier that might lead to the identity of the perpetrator

Muhammad EL-Harmeel, [Muhammad.Elharmeel@Gmail.com](mailto:Muhammad.Elharmeel@Gmail.com)

### 2.3. Threats Affecting Humans

Human threats can be defined as threats that, when triggered, will affect human beings regardless of the source (such as illness). It is important to highlight that a threat doesn't hold any potential impact or damage on the information system unless there is a vulnerability that can be exploited.

Author: Muhammad Elharmeel, [linkedin.com/in/0xhandler/](https://www.linkedin.com/in/0xhandler/)

As stated previously, this paper's focus is on management issues that are related to humans. As a result, we will highlight only possible threats that are applicable to the asset being evaluated which is humans.

Accepted: November 1st 2009

Threat-Source	Motivation	Threat Actions
Hacker, Cracker	<ul style="list-style-type: none"> <li>• Challenge</li> <li>• Ego</li> <li>• Rebellion</li> </ul>	<ul style="list-style-type: none"> <li>• Social Engineering</li> </ul>
Computer Criminal	<ul style="list-style-type: none"> <li>• Destruction of information</li> <li>• Illegal information disclosure</li> <li>• Monetary gain</li> <li>• Unauthorized data alteration</li> </ul>	<ul style="list-style-type: none"> <li>• Fraudulent act (e.g., impersonation)</li> <li>• Information bribery</li> <li>• Spoofing</li> </ul>
Terrorist	<ul style="list-style-type: none"> <li>• Black mail</li> <li>• Destruction</li> <li>• Exploitation</li> <li>• Revenge</li> </ul>	<ul style="list-style-type: none"> <li>• Bomb-terrorism</li> <li>• Information Warfare</li> </ul>
Industrial espionage	<ul style="list-style-type: none"> <li>• Competitive advantage</li> <li>• Economic espionage</li> </ul>	<ul style="list-style-type: none"> <li>• Information theft</li> <li>• Intrusion on</li> </ul>

Muhammad EL-Harmeel, [Muhammad.Elharmeel@Gmail.com](mailto:Muhammad.Elharmeel@Gmail.com)

	<p style="text-align: center;"><b>Humans... The Overlooked Asset</b></p> <p style="text-align: center;"><i>GIAC (GSEC) Gold Certification</i></p> <p style="text-align: center;">Author: Muhammad Elharmeel, linkedin.com/in/0xhandler/ Advisor: Becky Fowler</p>	<ul style="list-style-type: none"> <li>personal</li> <li>privacy</li> <li>Social</li> <li>engineering</li> <li>Economic</li> <li>exploitation</li> </ul>
<p>Insiders (poorly trained, disgruntled, malicious, negligent, dishonest, or terminated employees)</p>	<ul style="list-style-type: none"> <li>• Curiosity</li> <li>• Accepted: November 1st 2009</li> <li>• Intelligence</li> <li>• Monetary gain</li> <li>• Revenge</li> <li>• Unintentional errors and omissions (e.g., data entry error, programming error)</li> </ul>	<ul style="list-style-type: none"> <li>• Assault on an employee</li> <li>• Browsing of proprietary information</li> <li>• Information bribery</li> <li>• Sale of personal information</li> <li>• Blackmail</li> </ul>

**Human Threats - (NIST Special Publication 800-30, 2009)**

Different formulas are out there to calculate the risk (i.e. **Total Risk = Threats x Vulnerability x Asset Value= Probability X Consequence= Threat X Vulnerability X Consequences.....etc**). The above table spots a new factor that should be involved in calculating the overall risk which is **Motivation**.

It is unlikely that a threat can successfully exploit a vulnerability without motivation. Motivation is the engine that reinforces a threat to successfully penetrate the information system and exploit a vulnerability.

Muhammad EL-Harmeel, Muhammad.Elharmeel@Gmail.com

Why do hackers target highly sensitive and secure targets like military networks, security vendor's websites, and media websites? The simple answer is **motivation**. This category is alluring to hackers and generates a strong motivation to carry out the attack.

## Humans - The Overlooked Asset

Thus, we have to pay attention to **motivation** when carrying out the risk assessment.

GIAC (GSEC) Gold Certification

It worth mentioning that the above list is a sample list and not an exhaustive one.

Author: Muhammad Elharmeel, linkedin.com/in/Oxhandler/


Every organization has its own business circumstances that generate a unique spectrum of threats.

Advisor: Becky Power

### 2.4. Handling Resultant Risks

Accepted: November 1st 2009

Prior to discussing the options available to handle human based risks, it is necessary to understand the basics of the risk management process.



**Risk Management Process Model - ([IT Service Strategy](#), 2009)**

#### 2.4.1. The Process

The above diagram shows that there are four phases that govern the risk management process.

Muhammad EL-Harmeel, Muhammad.Elharmeel@Gmail.com

- **Defining the scope**

A predefined scope should exist before conducting the risk assessment. The scope sets the scene for what will be involved in the risk assessment. The scope can be for the whole organization or even just a business process.

Author: Muhammad Elharmeel, [linkedin.com/in/0xhandler/](https://www.linkedin.com/in/0xhandler/)

- **Identify assets**

The assets that are within the scope of the information system, coupled to their owners, should be identified and placed in an asset inventory. Moreover, assets should properly valued against a predefined scale matrix.

- **Identify vulnerabilities & threats**

Each asset is associated with one or multiple vulnerabilities and those vulnerabilities should be exploited by one or multiple threats. Vulnerabilities and threats associated with each asset should be listed.

- **Assess the risk**

Each threat-vulnerability pair (the possibility of specific threat exploiting a specific vulnerability) - has an impact on the information system. This impact should be calculated and evaluated based on the likelihood of occurrence.

- **Treat the risk**

At this stage, we are supposed to choose an option to handle the resultant risks associated with humans.

### 2.4.2. Avoidance

Consider eliminating the key source of the risk. This may be associated with aggressive business decisions. One example could be to dismiss an employee in case of repeated failure to raise his information security awareness level. The employee might be

Muhammad EL-Harmeel, [Muhammad.Elharmeel@Gmail.com](mailto:Muhammad.Elharmeel@Gmail.com)

exercising bad security oriented- habits that are exposing the information system to a certain danger.

## Humans... The Overlooked Asset

### 2.4.3. Reduction

Two options are available to reduce the risk.

- Another option is to reduce the vulnerability of being exploited (i.e. consider a deterrent action for any employee behavior which breaches the policy. The goal of this option is to make people more advertent, hence, minimizing the possibility of being vulnerable).
- The second option is to reduce the impact. An example would be moving an employee who deals with sensitive data from one department to another department where he will deal with less sensitive data. By doing so, if a threat was able to exploit a vulnerable behavior within this employee, then, it will have less impact on the information system.

### 2.4.4. Retention

Another option is to accept the potential risk as it is. In certain cases the organization has no option rather than accepting the risk when dealing with human vulnerabilities. For example, a member of senior management may be unable or unwilling to completely abide by the security policy. In this scenario, this manager poses a potential risk for the organization and for business reasons it is not feasible to avoid (dismiss him) or reduce – (either punishing or moving him) the risk.

## 2.5. Applicable Controls


It is anticipated that each system will have its own vulnerabilities and threats. We are required to prevent threats from exploiting present vulnerabilities within the system. This is supposed to be accomplished using controls. The following chart illustrates how controls can prevent threats from exploiting present vulnerabilities in the information system.

# Humans... The Overlooked Asset

GIAC (GSEC) Gold Certification

Author: Muhammad Elharmeel, [linkedin.com/in/0xhandler/](https://www.linkedin.com/in/0xhandler/)  
 Advisor: Becky Fowler

Accepted: November 1st 2009



Abstract

## Threat:Control Relation - (NIST SP 800-12, 2009)

Now that the security risks have been identified and categorized it is time to select the appropriate control if one makes the decision to reduce the risk.

Again, this section will handle different controls that are specific to humans. These are commonly referred as management security controls.

According to NIST SP 800-30 publication, the following categorizations can be applied to management security controls

Preventive Controls	Detective Controls	Recovery Controls
<ul style="list-style-type: none"> <li>Assigning security responsibility to ensure that adequate security is provided for the mission-critical IT</li> </ul>	<ul style="list-style-type: none"> <li>Personnel clearance, background Investigations &amp;</li> </ul>	<ul style="list-style-type: none"> <li>Provide continuity of support and develop, test, and maintain the continuity of Personnel operations</li> </ul>

Muhammad EL-Harmeel, [Muhammad.Elharmeel@Gmail.com](mailto:Muhammad.Elharmeel@Gmail.com)

<p>personnel (i.e. firewall administrator)</p> <ul style="list-style-type: none"> <li>• Developing and maintaining personnel security plans to document current controls and address planned controls for personnel in support of the organization's mission.</li> <li>• Considering implementing Separation of duties and least privilege concepts.</li> <li>• Conducting security awareness and technical training to ensure that personnel are aware of the rules of behavior and their responsibilities in protecting the Organization's mission.</li> <li>• Authentication, authorization and non-repudiation ( personnel oriented functions,</li> </ul>	<p>rotation of duties.</p> <p>Conducting periodic review</p> <p>controls –</p> <p>applied to personnel- to ensure that the controls are effective.</p> <ul style="list-style-type: none"> <li>• Performing periodic system audits (people oriented audit such as trying to navigate the building without the ID and see if this will be caught or not).</li> <li>• Conducting ongoing risk management to assess and mitigate risk related to personnel.</li> </ul>	<p>plan to provide for business resumption</p> <p>continuity of operations during emergencies or disasters (i.e. ensuring the existence of delegates who can do the job in case of the original employee unavailability)</p> <ul style="list-style-type: none"> <li>• Establishing an incident response capability to prepare for, recognize, report, and respond to the incident and return the employees to operational status.(i.e. after an earthquake, each employee must know what to do to continue operate critical functions)</li> </ul>
---	--	---

## Humans... The Overlooked Asset

GSEC (GSEC) of Security

Author: Muhammad Elharmeel, linkedin.com/in/Oxhandler/

Advisor: Becky Fowler

Accepted: November 1st 2009




<p>such as verifying the identity of an employee, security guard and ensuring that he has the appropriate authority)</p> <ul style="list-style-type: none"> <li>Controlling the humidity and temperature of the facility to ensure personnel safety (i.e., operation of air Conditioners, heat dispersal).</li> </ul>	<ul style="list-style-type: none"> <li>Using motion detectors, closed monitoring, sensors and alarms to monitor and detect personnel activities</li> </ul> <p>Accepted: November 1st 2009</p> <p>Abstract</p>	<p><b>Humans... The Overlooked Asset</b></p> <p>GIAC (GSEC) Gold Certification</p> <p>Author: Muhammad Elharmeel, linkedin.com/in/0xhandler/ Advisor: Becky Fowler</p>
---	---	--

Operating one of the above controls requires continual improvement in order to reach the maturity level required of the information system.

### 2.6. Continual Improvements

Each system needs to reach a specific level of maturity. To get this done, continual improvement must be exercised. Moreover, with continual improvement in place we can expect quality enhancement.

The continual improvement lifecycle is composed of the following stages:



**PDCA Lifecycle - ([DHM](#), 2009)**

**Plan:** Identifying problems and proposing solutions.

**Do:** Implement the proposed solutions to better enhance the system performance and operations. Most probably on a small scale.

**Check:** Testing the system for the effectiveness of the deployed controls and implemented solutions.

**Act:** Involving other solutions and controls that are supposed boost the system operations, secure the system and at the same time excluding any solutions that proved to be inefficient in tackling current shortcomings in the system.

In most circumstances, the information system itself will continually be expanded (new hires), updated (continuing staff education) and its components changed or replaced (rotation of duties). Moreover, security policies are likely to change over time. These significant changes mean that new risks will surface and human-based risks previously

Muhammad EL-Harmeel, Muhammad.Elharmeel@Gmail.com

mitigated may again become a concern. Thus, the risk management process is ongoing and evolving.

## Humans... The Overlooked Asset

### 3. Conclusion *GIAC (GSEC) Gold Certification*

Contrary to popular belief, humans should be considered the most valuable asset within the information system. Like any other assets, humans should be identified, categorized based on threat-vulnerability analysis and decisions should be made about the best methodology to tackle the risk they present. It is unlikely that an effective and secured information system could exist without considering humans as the most valuable information asset in the system. Thus, it is imperative that organizations take this matter seriously by taking into consideration that a variety of controls could be applied to humans.

Through this paper we have pinpointed humans as a key element in the information system. Examples have been given of different types of vulnerabilities that might coexist with humans and how to highlight them by conducting a human based penetration test; this was followed by a detailed list of threats that might exploit human vulnerabilities and the relationship that could coexist between them. Also we have introduced a new function –motivation- that should be considered in the risk calculation formula. Finally we have gone through different options available to tackle human risks and how to maintain an efficient and healthy the information system by applying PDCA lifecycle.

## 4. References

### Humans... The Overlooked Asset

#### GIAC (GSEC) Gold Certification

Gulati, Radha. (2003). *The threat of social engineering and your defense against it*.

SANS reading room. Retrieved from:  
Author: Muhammad Elharmeel, linkedin.com/in/0xhandler/

Advisor: Becky Fowler

[http://www.sans.org/reading\\_room/whitepapers/engineering/the\\_threat\\_of\\_social\\_engineering\\_and\\_your\\_defense\\_against\\_it\\_1232](http://www.sans.org/reading_room/whitepapers/engineering/the_threat_of_social_engineering_and_your_defense_against_it_1232)

Arthurs, Wendy. (2001). *A proactive defence to social engineering*. SANS reading room.

Retrieved from:

[http://www.sans.org/reading\\_room/whitepapers/engineering/a\\_proactive\\_defence\\_to\\_social\\_engineering\\_511](http://www.sans.org/reading_room/whitepapers/engineering/a_proactive_defence_to_social_engineering_511)

Jones, Chris. (2003). *Understanding and Auditing*. SANS reading room. Retrieved from:

[http://www.sans.org/reading\\_room/whitepapers/engineering/understanding\\_and\\_auditing\\_1332](http://www.sans.org/reading_room/whitepapers/engineering/understanding_and_auditing_1332)  
Abstract

Granger, Sarah. (2001). *Social Engineering Fundamentals*. Security Focus. Retrieved

from: <http://www.securityfocus.com/infocus/1527>

Schoenberg, Carter. (n.d.) *Information Security & Negligence Targeting the C-Class*.

Retrieved from:

[http://www.infosecwriters.com/text\\_resources/pdf/InformationSecurityCClass.pdf](http://www.infosecwriters.com/text_resources/pdf/InformationSecurityCClass.pdf)

Schneier, Bruce. (2009, January 9). *Impersonation*. Message posted to:

<http://www.schneier.com/blog/archives/2009/01/impersonation.html>

HCi. *From problem-faced to problem-solved*. Retrieved from:

<http://www.documentation.com.au/hcisite2/toolkit/pdcacycl.htm>

Gragg, David. (2002). *A Multi-Level Defense Against Social Engineering*. SANS reading

room .Retrieved from:

[http://www.sans.org/reading\\_room/whitepapers/engineering/a\\_proactive\\_defence\\_to\\_social\\_engineering\\_511](http://www.sans.org/reading_room/whitepapers/engineering/a_proactive_defence_to_social_engineering_511)

Kratt, Heather. (2004). *The Inside Story: A Disgruntled Employee Gets His Revenge*.

SANS reading room. Retrieved from:

Muhammad EL-Harmeel, Muhammad.Elharmeel@Gmail.com

[http://www.sans.org/reading\\_room/whitepapers/engineering/the\\_inside\\_story\\_a\\_disgruntled\\_employee\\_gets\\_his\\_revenge\\_1548](http://www.sans.org/reading_room/whitepapers/engineering/the_inside_story_a_disgruntled_employee_gets_his_revenge_1548)

Gause and Weinberg (1990) *Describing Systems Using Use Cases*

## Humans - The Overlooked Asset

Management Quotes. Retrieved from:

GIAC (GSEC) Gold Certification

<http://riskviews.wordpress.com/risk-management-quotes/>

Author: Muhammad Elharmeel, [linkedin.com/in/0xhandler/](http://linkedin.com/in/0xhandler/)

Advisor: Becky Fowler

Accepted: November 1st 2009

Abstract

Muhammad EL-Harmeel, [Muhammad.Elharmeel@Gmail.com](mailto:Muhammad.Elharmeel@Gmail.com)



# Upcoming SANS Training

[Click Here for a full list of all Upcoming SANS Events by Location](#)

SANS San Antonio 2017	San Antonio, TXUS	Aug 06, 2017 - Aug 11, 2017	Live Event
SANS Boston 2017	Boston, MAUS	Aug 07, 2017 - Aug 12, 2017	Live Event
SANS Hyderabad 2017	Hyderabad, IN	Aug 07, 2017 - Aug 12, 2017	Live Event
SANS Prague 2017	Prague, CZ	Aug 07, 2017 - Aug 12, 2017	Live Event
SANS New York City 2017	New York City, NYUS	Aug 14, 2017 - Aug 19, 2017	Live Event
SANS Salt Lake City 2017	Salt Lake City, UTUS	Aug 14, 2017 - Aug 19, 2017	Live Event
SANS Chicago 2017	Chicago, ILUS	Aug 21, 2017 - Aug 26, 2017	Live Event
SANS Adelaide 2017	Adelaide, AU	Aug 21, 2017 - Aug 26, 2017	Live Event
SANS Virginia Beach 2017	Virginia Beach, VAUS	Aug 21, 2017 - Sep 01, 2017	Live Event
SANS San Francisco Fall 2017	San Francisco, CAUS	Sep 05, 2017 - Sep 10, 2017	Live Event
SANS Tampa - Clearwater 2017	Clearwater, FLUS	Sep 05, 2017 - Sep 10, 2017	Live Event
SANS Network Security 2017	Las Vegas, NVUS	Sep 10, 2017 - Sep 17, 2017	Live Event
SANS Dublin 2017	Dublin, IE	Sep 11, 2017 - Sep 16, 2017	Live Event
SANS Baltimore Fall 2017	Baltimore, MDUS	Sep 25, 2017 - Sep 30, 2017	Live Event
Data Breach Summit & Training	Chicago, ILUS	Sep 25, 2017 - Oct 02, 2017	Live Event
SANS London September 2017	London, GB	Sep 25, 2017 - Sep 30, 2017	Live Event
SANS Copenhagen 2017	Copenhagen, DK	Sep 25, 2017 - Sep 30, 2017	Live Event
SANS SEC504 at Cyber Security Week 2017	The Hague, NL	Sep 25, 2017 - Sep 30, 2017	Live Event
Rocky Mountain Fall 2017	Denver, COUS	Sep 25, 2017 - Sep 30, 2017	Live Event
SANS Oslo Autumn 2017	Oslo, NO	Oct 02, 2017 - Oct 07, 2017	Live Event
SANS DFIR Prague 2017	Prague, CZ	Oct 02, 2017 - Oct 08, 2017	Live Event
SANS Phoenix-Mesa 2017	Mesa, AZUS	Oct 09, 2017 - Oct 14, 2017	Live Event
SANS October Singapore 2017	Singapore, SG	Oct 09, 2017 - Oct 28, 2017	Live Event
SANS AUD507 (GSNA) @ Canberra 2017	Canberra, AU	Oct 09, 2017 - Oct 14, 2017	Live Event
Secure DevOps Summit & Training	Denver, COUS	Oct 10, 2017 - Oct 17, 2017	Live Event
SANS Tysons Corner Fall 2017	McLean, VAUS	Oct 14, 2017 - Oct 21, 2017	Live Event
SANS Tokyo Autumn 2017	Tokyo, JP	Oct 16, 2017 - Oct 28, 2017	Live Event
SANS Brussels Autumn 2017	Brussels, BE	Oct 16, 2017 - Oct 21, 2017	Live Event
SANS Berlin 2017	Berlin, DE	Oct 23, 2017 - Oct 28, 2017	Live Event
Security Awareness Summit & Training 2017	OnlineTNUS	Jul 31, 2017 - Aug 09, 2017	Live Event
SANS OnDemand	Books & MP3s OnlyUS	Anytime	Self Paced



# Upcoming SANS Training

[Click Here for a full list of all Upcoming SANS Events by Location](#)

SANS Security East 2018	New Orleans, LAUS	Jan 08, 2018 - Jan 13, 2018	Live Event
SANS Amsterdam January 2018	Amsterdam, NL	Jan 15, 2018 - Jan 20, 2018	Live Event
Northern VA Winter - Reston 2018	Reston, VAUS	Jan 15, 2018 - Jan 20, 2018	Live Event
SEC599: Defeat Advanced Adversaries	San Francisco, CAUS	Jan 15, 2018 - Jan 20, 2018	Live Event
SANS Dubai 2018	Dubai, AE	Jan 27, 2018 - Feb 01, 2018	Live Event
SANS Las Vegas 2018	Las Vegas, NVUS	Jan 28, 2018 - Feb 02, 2018	Live Event
Cyber Threat Intelligence Summit & Training 2018	Bethesda, MDUS	Jan 29, 2018 - Feb 05, 2018	Live Event
SANS Miami 2018	Miami, FLUS	Jan 29, 2018 - Feb 03, 2018	Live Event
SANS Scottsdale 2018	Scottsdale, AZUS	Feb 05, 2018 - Feb 10, 2018	Live Event
SANS London February 2018	London, GB	Feb 05, 2018 - Feb 10, 2018	Live Event
SANS Southern California- Anaheim 2018	Anaheim, CAUS	Feb 12, 2018 - Feb 17, 2018	Live Event
SANS Secure India 2018	Bangalore, IN	Feb 12, 2018 - Feb 17, 2018	Live Event
SANS Dallas 2018	Dallas, TXUS	Feb 19, 2018 - Feb 24, 2018	Live Event
SANS Brussels February 2018	Brussels, BE	Feb 19, 2018 - Feb 24, 2018	Live Event
SANS Secure Japan 2018	Tokyo, JP	Feb 19, 2018 - Mar 03, 2018	Live Event
Cloud Security Summit & Training 2018	San Diego, CAUS	Feb 19, 2018 - Feb 26, 2018	Live Event
SANS New York City Winter 2018	New York, NYUS	Feb 26, 2018 - Mar 03, 2018	Live Event
CyberThreat Summit 2018	London, GB	Feb 27, 2018 - Feb 28, 2018	Live Event
SANS London March 2018	London, GB	Mar 05, 2018 - Mar 10, 2018	Live Event
SANS San Francisco Spring 2018	San Francisco, CAUS	Mar 12, 2018 - Mar 17, 2018	Live Event
SANS Secure Osaka 2018	Osaka, JP	Mar 12, 2018 - Mar 17, 2018	Live Event
SANS Secure Singapore 2018	Singapore, SG	Mar 12, 2018 - Mar 24, 2018	Live Event
SANS Paris March 2018	Paris, FR	Mar 12, 2018 - Mar 17, 2018	Live Event
SANS SEC460: Enterprise Threat Beta	OnlineCAUS	Jan 08, 2018 - Jan 13, 2018	Live Event
SANS OnDemand	Books & MP3s OnlyUS	Anytime	Self Paced