



Interested in learning
more about security?

SANS Institute InfoSec Reading Room

This paper is from the SANS Institute Reading Room site. Reposting is not permitted without express written permission.

MP3Stego: Hiding Text in MP3 Files

Steganography techniques involving audio file formats appear to be increasing in popularity. This paper discusses MP3Stego, a steganographic tool that operates within the MP3 encoding process.

Copyright SANS Institute
Author Retains Full Rights



AD

MP3Stego: Hiding Text in MP3 Files

Mark Noto

September 15, 2001

Practical Version 1.2f

With the widespread popularity of the MP3 file format and its ubiquitous presence on storage media and the Internet, it was only a matter of time before it joined ranks alongside other steganographic mediums. Johnson defines steganography as “the art of passing information in a manner that the very existence of the message is unknown.”¹ Unlike cryptography, which is easily detected (but hopefully difficult to decipher), steganography is an attempt to conceal the very presence of the hidden message. When the two techniques are combined, as they are in MP3Stego, they present a formidable challenge.

Jossi points out that steganography “has become a popular tool for secretly sending and receiving digital messages.”² The popularity of steganography is poignantly driven home when Jossi notes that terrorist Osama bin Laden “reportedly relies on stego files to transmit maps, photos and instructions outlining future targets via pornographic bulleting boards and sports chat rooms.”³

Audio Steganography Basics

Weeks notes that:

Digital steganography is based on the fact that artifacts like bitmaps and audio files contain redundant information. That’s why lossy compression techniques such as JPEG and MP3 work. Such techniques eliminate part of the redundancy, allowing the image or audio file to be compressed. The idea behind [digital] steganography is that instead of eliminating [all of] the redundant information, you replace [some of] it with other data.⁴

One should not underestimate the difficulty of hiding data in audio signals. Bender explains the depth of the problem when he notes that “...the human auditory system (HAS) operates over a wide dynamic range. The HAS perceives over a range of power greater than one billion to one and a range of frequencies greater than one thousand to one.”⁵ Thankfully, or perhaps not depending upon whether the good guys or bad guys are sending messages, the HAS is fairly poor with respect to its’ differential range. This means that loud sounds tend to mask out softer sounds easily. Psychoacoustic models (as described later in the paper) can exploit this weakness. This information should

¹ Johnson, p. 273

² Jossi, p.1

³ Ibid

⁴ Weeks, p. 2

⁵ Bender, p. 323

also be useful in helping one to select appropriate audio for encoding; Megadeath or NIN may be a much better choice of audio source than the Kronos String Quartet!

Hiding data in audio can be done a number of ways. One such method is low-bit encoding. When Jossi incorrectly defines steganography as “the practice of encoding data into the least significant bit of another file,” he is actually describing the low-bit encoding method.⁶ Low-bit encoding replaces the least significant bit of information in each sampling point with a coded binary string. While this method can be efficiently employed to encode fairly large amounts of hidden data in a given audio signal, it does so at the expense of introducing significant noise at theoretical upper limits.

A second method of data hiding in audio is phase coding. Shankaranarayanan explains that phase coding “...works by substituting the phase of an initial audio segment with a reference phase that represents the data. The phase of subsequent segments is adjusted in order to preserve the relative phase between segments.”⁷ While phase coding is very quiet in comparison to low-bit encoding, it is also a more complicated method.

The third method of data hiding in audio is spread spectrum. This method spreads the encoded data across as much of the frequency spectrum as possible, making it very difficult for an adversary to find the data unless they have access to, or can reconstruct, the pseudorandom signal used to spread the data across the frequency range.

The last method of data hiding in audio is echo data hiding. Sellers notes that “Echo data hiding embeds data into a host signal by introducing an echo. The data are hidden by varying three parameters of the echo: initial amplitude, decay rate, and offset. As the offset between the original and the echo decreases, the echo blends.”⁸ In a method similar to vocal overdubbing, where two tracks of vocals are combined to “fatten” up a vocal, this echo blending is perceived as part of the original sound, not an adjunct sound. At some point, the echo and original sound are not perceived as “separate” by the human ear.

Each of these methods relies upon exploiting weaknesses of human auditory perception, in either the acoustic or psychoacoustic domains. As we will see in the following section, ISO-MPEG Audio Layer-3 uses these same weaknesses to hide the fact that it drops significant amounts of audio information.

MP3 in a Nutshell

In order to understand how MP3Stego works, we need to discuss ISO-MPEG Audio Layer-3 (or MP3 to the rest of us). ISO-MPEG Audio Layer-3 was a result of work done

⁶ Jossi, p. 1

⁷ Shankaranarayanan, p.4


⁸ Sellers, sec. 8.2.4

by Fraunhofer IIS-A in the area of perceptual audio coding. Some explanation of perceptual audio coding is in order:

In a perceptual audio coder, the codec does not attempt to retain the input signal exactly after encoding and decoding, rather its goal is to ensure that the output signal sounds the same to a human listener. The primary psychoacoustic effect that the perceptual audio coder uses is called 'auditory masking', where parts of a signal are not audible due to the function of the human auditory system. The psychoacoustic model analyses the input signals within consecutive time blocks and determines for each block the spectral components of the input audio signal by applying a frequency transform. Then it models the masking properties of the human auditory system, and estimates the just noticeable noise-level, sometimes called the threshold of masking. In its quantization and coding stage, the encoder tries to allocate the available number of data bits in a way that meets both the bitrate and masking requirements.⁹

In layman's terms this means that the audio signal contains a significant portion of information that can be discarded without the average listener noticing a change.

Two nested iteration loops are utilized in the Layer-3 encoder; the inner iteration loop (rate loop) and the outer iteration loop (noise control/distortion loop). Without going into a long, detailed explanation of the encoding process, these two loops are involved in a "negotiation" for digital real estate. The encoding process is illustrated below:



MPEG Audio Layer-3 Encoding Process,
 From <http://www.iis.fhg.de/amm/techinf/layer3/index.html>

⁹ Thom, p.2

The steganographic tool discussed in this paper, MP3Stego, operates within the MP3 encoding process. It takes advantage of this process to insert hidden data during data compression.

MP3Stego

Fabien A. P. Petitcolas, creator of MP3Stego, notes that "When looking at the steganographic tools available on the Net, it occurred to me that nothing had been done to hide information in MP3 files, that is sound tracks compressed using the MPEG Audio Layer III format."¹⁰ Considering the fact that steganography is most effective when it doesn't raise suspicions, a ubiquitous file format such as MP3 is highly desirable as a host for hidden data. The fact that MP3 employs a lossy compression algorithm also contributes to its' effectiveness as a steganographic medium.

MP3Stego works in the following manner:

MP3Stego will hide information in MP3 files during the compression process. The data is first compressed, encrypted and then hidden in the MP3 bit stream. The hiding process takes place at the heart of the Layer III encoding process namely in the inner_loop. The inner loop quantizes the input data and increases the quantizer step size until the quantized data can be coded with the available number of bits. Another loop checks that the distortions introduced by the quantization do not exceed the threshold defined by the psychoacoustic model. The part2_3_length variable contains the number of main data bits used for scalefactors and Huffman code data in the MP3 bit stream. We encode the bits as its parity by changing the end loop condition of the inner loop. Only randomly chosen part2_3_length values are modified; the selection is done using a pseudo random bit generator based on SHA-1.¹¹

Referring back to the diagram of the MP3 encoding process on page 3, we can see that MP3Stego operates within the boxed "iteration loops" process. Anderson and Petitcolas co-authored a paper that discusses the "power of parity." This approach is explained as follows:

We use our one-time pad (or keystream generator) to select not one pixel but a set of them, and embed the ciphertext bit as their parity. This way, the information can be hidden by changing whichever of the pixels can be changed least obtrusively. There is an interesting tradeoff: the more bits in the selection channel (i.e., the greater the value of k), the more bits we can hide in the covertext. In practice our selector channel will be a cryptographic

¹⁰ Petitcolas, p. 1

¹¹ Ibid

psuedorandom number generator, and we can draw from it as many bits as we like.¹²

This concept is applied practically in MP3Stego.

MP3Stego in Action

MP3Stego, version 1.1.15 for Windows 95/98/NT, operates via command line interface. Both MP3Stego and a separate graphic interface are available at <http://www.cl.cam.ac.uk/~fapp2/steganography/mp3stego/index.html>. The command line interface mode allows the user to both encode and decode files. To encode a file the following syntax is used:

```
encode -E secret_text.txt -P passphrase hells_bells.wav hells_bells.mp3
```

This compresses hells.bells.wav along with secret_text.txt into hells_bells.mp3, encrypting the hidden text using the passphrase "passphrase."

Decoding the file is accomplished using:

```
Decode -X -P passphrase hells_bells.mp3
```

This uncompresses hells_bells.mp3 into hells_bells.mp3.pcm and decrypts and saves the hidden text as hells_bells.mp3.txt.

MP3Stego uses 3DES encryption and the SHA-1 hash. 3DES and SHA-1 are both widely employed and well tested. Lumb notes, "A good steganographic system should be based on the assumption that outsiders have full knowledge of its design and implementation details. The only missing information is a short exchangeable random number sequence, known as the secret key."¹³ MP3Stego employs a passphrase and 3DES to protect the hidden data payload. SHA-1 is employed to generate pseudo random bits for use in the hiding process.

One particular idiosyncrasy that needs to be dealt with when using MP3Stego is the fact that the .wav file being used must be a mono 16-bit file encoded with pulse code modulation at 44100Hz. The program does not appear to provide any way to use stereo .wav files (the normal format for .wav files). In order to get much use out of the software it's necessary to have software that can encode audio in the format that MP3Stego requires. This is somewhat inconvenient, but since the software is more of a proof-of-concept product than a well-developed offering it is not unexpected. It is likely that second generation products are, or will shortly become, available which incorporate the kinds of features that will make this software acceptable to less sophisticated users.

¹² Anderson, p. 479

¹³ Lumb, p.1

While MP3Stego is primarily a steganographic tool, the author notes that it can also be employed as a copyright marking system for MP3 files. The watermark can be removed by uncompressing and then recompressing the bit stream, but not without severely degrading the quality of the resulting audio file. One other test of the quality of a watermark defined by deCarmo is that "All watermarks must be unobtrusive."¹⁴ MP3Stego meets this test.

Another important measure of the quality of a steganographic tool is its resistance to steganalysis. Steganalysis is defined by Johnson as "...the art of discovering and rendering useless such covert messages."¹⁵ One of the normal methods used for detecting the existence of hidden messages is to look for obvious and repetitive patterns. Considering that the hidden text is embedded by MP3Stego using SHA-1 to generate pseudo random bits, it is unlikely that obvious and repetitive patterns will be apparent to the steganalyst. Most of the existing steganalysis tools are designed to detect hidden information in image files. In fact, finding hidden data in JPEG images is generally acknowledged to be far easier than other file formats. In cases where MP3Dstego is used to hide fairly small amounts of information (such as an account number, password, or other short message) it would be all but impossible to detect the presence of stegotext. My review of existing literature failed to reveal any tools designed to detect hidden data in MP3 files.

NOTE: This does not mean that these tools don't exist—only that they are not readily available to the general public.

Conclusions

Steganography techniques involving audio file formats appear to be increasing in popularity. This may be attributed to the fact that current steganalysis tools available to the general public fall short when applied to audio files. Another factor that may be contributing to the increasing popularity is the widespread popularity of the MP3 file format and its ubiquitous presence on storage media and the Internet. Only adding to the appeal of audio steganography is the relatively large size of MP3 files. These large files make detection of stegotext more difficult. Until such time as effective steganalysis tools are widely available, the information security professional must pay particular attention to the kinds of audio file traffic seen on networks and also be aware of the software signatures of steganography tools. Tools that keep track of installed software such as Asset Insight can aid in detecting "budding" steganographers. In cases where users are careless about deleting "work files", the presence of PCM files and mono .wav files (an MP3Stego signature) should arouse interest.

¹⁴ deCarmo, p.3

¹⁵ Johnson, p.1

In a WiredNews article Ross Anderson notes that "There are about three or four generations of stego software. The stuff you can download is first generation and easily defeated."¹⁶ His recommendation for stego software is MP3Stego. Despite the fact that he has mentored and worked with MP3Stego's creator, I'm inclined to trust his advice, if only for the fact that we all need become familiar with it (and other steganographic tools). In the digital battlefield of the 21st Century your attention to steganography is imperative. Denying adversaries like bin Laden the opportunity to use cheap and reliable covert communication channels will be crucial to protecting what we all hold dear.

References

Anderson, R. and F. Petitcolas, "On the limits of steganography", IEEE Journal of Selected Areas in Communications, 16(4): 474-481, May 1998.

Bender, W., et al., "Techniques for data hiding", IBM Systems Journal, Vol. 35, Nos 3&4, pp. 313-36, 1996.

Bender, W., et al., "Applications for data hiding", IBM Systems Journal, Vol. 39, Nos. 3&4, pp. 547-68, 2000

DeCarmo, L., "Pirates on the airwaves: new technologies for audio copy protection", URL. <http://www.emedialive.com/EM1999/decarmo9.html>

Fraunhofer Institut Integrierte Schaltungen, "MPEG Audio Layer-3", URL. <http://www.iis.fhg.de/amm/techinf/layer3/index.html>

Johnson, N., and S. Jajodia, "Steganalysis of images created using current steganography software", Lecture Notes in Computer Science, Vol. 1525, Springer-Verlag, 1998

Jossi, F., "Hiding in plain sight", URL. <http://www.wired.com/wired/archive/9.06/mustread.html?pg=9>

Lumb, P., "Invisible to prying eyes", URL. <http://www.india-today.com/ctoday/20000616/trends.html>

McCullagh, D., "Secret messages come in .wavs", URL. <http://www.wired.com/news/print/0,1294,41861,00.html>

Petitcolas, F., "mp3stego", URL. <http://www.cl.cam.ac.uk/~fapp2/steganography/mp3stego/index.html>

¹⁶ McCullagh p. 3-4

Sellars, D., "An introduction to steganography", URL:
<http://www.cs.uct.ac.za/courses/CS400W/NIS/papers99/dsellars/stego.html>

Shankaranarayanan, M., "Audio file steganography", URL.
<http://www.cise.ufl.edu/~smanamal/steganography.htm>

Thom, D., et al., "MPEG audio faq version 9 MPEG-1 and MPEG-2 BC (ISO/IEC JTC1/SC29/WG11 N2341)", International Organisation for Standardisation, October 1998. URL. <http://www.cseit.it/mpeg/faq/mp1-aud/mp1-aud.htm>

Weeks, K., "Hiding in plain sight", URL.
<http://community.borland.com/article/0,1410,20586,00.html>

© SANS Institute 2001, Author retains full rights



Upcoming SANS Training

[Click Here for a full list of all Upcoming SANS Events by Location](#)

SANS Tampa - Clearwater 2017	Clearwater, FLUS	Sep 05, 2017 - Sep 10, 2017	Live Event
SANS Network Security 2017	Las Vegas, NVUS	Sep 10, 2017 - Sep 17, 2017	Live Event
SANS Dublin 2017	Dublin, IE	Sep 11, 2017 - Sep 16, 2017	Live Event
SANS Baltimore Fall 2017	Baltimore, MDUS	Sep 25, 2017 - Sep 30, 2017	Live Event
SANS Copenhagen 2017	Copenhagen, DK	Sep 25, 2017 - Sep 30, 2017	Live Event
SANS London September 2017	London, GB	Sep 25, 2017 - Sep 30, 2017	Live Event
Data Breach Summit & Training	Chicago, ILUS	Sep 25, 2017 - Oct 02, 2017	Live Event
Rocky Mountain Fall 2017	Denver, COUS	Sep 25, 2017 - Sep 30, 2017	Live Event
SANS SEC504 at Cyber Security Week 2017	The Hague, NL	Sep 25, 2017 - Sep 30, 2017	Live Event
SANS Oslo Autumn 2017	Oslo, NO	Oct 02, 2017 - Oct 07, 2017	Live Event
SANS DFIR Prague 2017	Prague, CZ	Oct 02, 2017 - Oct 08, 2017	Live Event
SANS Phoenix-Mesa 2017	Mesa, AZUS	Oct 09, 2017 - Oct 14, 2017	Live Event
SANS October Singapore 2017	Singapore, SG	Oct 09, 2017 - Oct 28, 2017	Live Event
SANS AUD507 (GSNA) @ Canberra 2017	Canberra, AU	Oct 09, 2017 - Oct 14, 2017	Live Event
Secure DevOps Summit & Training	Denver, COUS	Oct 10, 2017 - Oct 17, 2017	Live Event
SANS Tysons Corner Fall 2017	McLean, VAUS	Oct 14, 2017 - Oct 21, 2017	Live Event
SANS Tokyo Autumn 2017	Tokyo, JP	Oct 16, 2017 - Oct 28, 2017	Live Event
SANS Brussels Autumn 2017	Brussels, BE	Oct 16, 2017 - Oct 21, 2017	Live Event
SANS Berlin 2017	Berlin, DE	Oct 23, 2017 - Oct 28, 2017	Live Event
SANS San Diego 2017	San Diego, CAUS	Oct 30, 2017 - Nov 04, 2017	Live Event
SANS Seattle 2017	Seattle, WAUS	Oct 30, 2017 - Nov 04, 2017	Live Event
SANS Gulf Region 2017	Dubai, AE	Nov 04, 2017 - Nov 16, 2017	Live Event
SANS Miami 2017	Miami, FLUS	Nov 06, 2017 - Nov 11, 2017	Live Event
SANS Amsterdam 2017	Amsterdam, NL	Nov 06, 2017 - Nov 11, 2017	Live Event
SANS Milan November 2017	Milan, IT	Nov 06, 2017 - Nov 11, 2017	Live Event
Pen Test Hackfest Summit & Training 2017	Bethesda, MDUS	Nov 13, 2017 - Nov 20, 2017	Live Event
SANS Paris November 2017	Paris, FR	Nov 13, 2017 - Nov 18, 2017	Live Event
SANS Sydney 2017	Sydney, AU	Nov 13, 2017 - Nov 25, 2017	Live Event
SANS San Francisco Fall 2017	OnlineCAUS	Sep 05, 2017 - Sep 10, 2017	Live Event
SANS OnDemand	Books & MP3s OnlyUS	Anytime	Self Paced