



Interested in learning
more about security?

SANS Institute InfoSec Reading Room

This paper is from the SANS Institute Reading Room site. Reposting is not permitted without express written permission.

Trinux - A Digital Tool Belt

As evidenced by the release of Linux, nmap, and nessus under the terms of the GNU General Public License, the popularity and pervasiveness of open source code has placed professional grade operating systems and security utilities within browser's grasp of any Internet connected user. Trinux continues in the same tradition. Accordingly, an aspiring security professional, hoping to understand the foe's mindset and capabilities, will do well to use the same resources that the common system cracker has access to. The purpo...

Copyright SANS Institute
Author Retains Full Rights

AD

Build your business'
breach action plan.

START NOW

 **LifeLock**
BUSINESS SOLUTIONS
No one can prevent all identity theft. © 2016
LifeLock, Inc. All rights reserved. LifeLock
and the LockMan logo are registered
trademarks of LifeLock, Inc.

Trinux – A Digital Tool Belt

Brad Showalter
GSEC Certification
Version 1.2f

© SANS Institute 2001, Author retains full rights

Trinux – A Digital Tool Belt

Pluralitas non est ponenda sine necessitate
Entities should not be multiplied unnecessarily

- William of Ockham

Tools of a trade are simple, concise, and focused, assembled by the artisan over time and based on experience. The collection of tools and experience, however, begins at the apprentice stage. Thusly, it is an astute pupil that begins the journey by first strapping on a tool belt – Trinux in this case.

Trinux is a minimized Linux distribution, which boots from either a single floppy disk or CD-ROM, and resides completely within system RAM. It's purpose is succinctly stated on its home web page – “Trinux gives you the power of Linux security tools without requiring a full-blown Linux install or the need to download, compile, install, and update a complete suite of security tools that are typically not found in mainstream distributions.” (Franz).

As evidenced by the release of Linux, nmap, and nessus under the terms of the GNU General Public License, the popularity and pervasiveness of open source code has placed professional grade operating systems and security utilities within browser's grasp of any Internet connected user. Trinux continues in the same tradition. Accordingly, an aspiring security professional, hoping to understand the foe's mindset and capabilities, will do well to use the same resources that the common system cracker has access to. The purpose of this paper is to outline the installation of Trinux via floppy diskettes, along with several security packages, and detail two scenarios of its usage by the paper's author.

Which Tool Belt?

The first Trinux installation step is downloading an image from <http://trinux.org/boot>. One will find four different images available, each intended for a specific environment:

- Network – standard floppy disk image, supports common Ethernet NICs, supports FAT and minix file systems, does not support IDE devices (i.e., CD-ROM)
- IDE – standard floppy disk image with the addition of IDE and NTFS (read only) file system support
- PCMCIA – standard laptop, floppy disk image with support for several PCMCIA NICs
- ISO – standard CD-ROM bootable image

Once the proper image has been determined, it must be downloaded to the hard drive. One cannot download the image directly to a floppy disk, a second utility is required for this step. If the operating system on which the downloaded image resides is a Windows system, one must use rawrite, available at <http://www.tux.org/pub/dos/rawrite/>, or rawrite for Windows, available at <http://uranus.it.swin.edu.au/~jn/linux/rawwrite.htm>, to copy the downloaded image to floppy disk. If the operating system is a UNIX flavor, one can use the following command, noted in a

Linux Journal article on Trinux, to do a low level image copy to disk – “dd if=downloaded_image of=/dev/fd0” (Gagne).

Which Tools?

Prior to selecting the security packages one intends to load, knowledge of how Trinux handles the loading process is required. The order of loading and details behind each are as follows:

- Fixed Disk Package Loading – available under the IDE and ISO images, desired packages are downloaded to a *trinux* directory at the root level prior to booting of Trinux; during booting, Trinux scans for the *trinux* directory and installs all present packages.
- Network Package Loading – available under the Network and PCMCIA images; Trinux boots, obtains an IP address through DHCP or initial manual configuration, and downloads and installs packages from a centralized HTTP/FTP server. The latest release (0.80rc2) attempts to connect to three IP addresses, each being listed in the configuration file – */tux/config/server*. Packages desired by the user for downloaded should be listed in the configuration file – */tux/config/pkglist*.
- Floppy Disk Package Loading – desired packages are downloaded directly to floppies by the user prior to booting of Trinux; during booting, if a network connection is unavailable and a *trinux* directory has not been found, Trinux prompts for floppies containing accessory packages.

Now, on to the package selection, itself. The packaged utilities are far ranging, falling under the following general categories – network analyzers; intrusion detection tools; packet generators; proxy and tunneling tools; encryption tools; miscellaneous security tools; web tools; network tools; scripting languages; text editors; disk and file system tools; debug tools; and system monitoring tools. Helpful descriptions of many of the packages and the depth to which they have been tested in Trinux can be found at <http://trinux.sourceforge.net/tools.html>. Also found on the just mentioned web site is a collection of mandatory files that will need to be loaded prior to running any of the security packages; this collection consists of:

- *system.tgz* – network daemon utilities for SMTP and CDP (usually on the boot floppy)
- *baselib.tgz* – essential libraries needed for most trinux apps, includes *ldconfig* and the full-blown kernel module utilities
- *dnslibs.tgz* – *libresolv*, *libnsl*, *libnss* libraries (needed for DNS)
- *bash.tgz* – shell utility which replaces the limited ash shell
- *term.tgz* – *ncurses* and terminal routines
- *pthread.tgz* – GNU thread libraries, needed for many tools

Once decisions have been made on which packages to download, navigate to the web site <http://www.ibiblio.org/pub/Linux/distributions/trinux/latest/pkg/> or to the web site <http://trinux.sourceforge.net/pkg/> and begin downloading the files to either the hard drive or the floppy disk. Regarding the floppy disk, neither *rawwrite* nor *dd* is necessary, simply save the files directly to the disk.

First Day on the Job

If successful to this point, it's time to boot up. Insert the floppy disk with the proper image into the disk drive and boot the system. From this point on, Trinux takes over probing hardware and initializing the OS. The only prompting of the user for input will occur when/if the operating system determines that fixed disk and network package loading options are not being utilized; the system will ask for floppies containing extra packages. If the user has more packages, remove the boot disk from the drive, insert the package disk into the drive, and respond to the screen prompt with a 'y <return>'. The OS will load all of the packages on disk and continue to prompt for disks until the user enters a 'n <return>' on the screen. At this point, Trinux will complete loading and then prompt the user to hit <enter> to activate the console. Upon so doing, the user is granted a command line prompt '#' as user 'root', no form of log in is required.

Learning the Ropes

Please note, only during the boot phase is it possible to pop disks in and out of the drive in a Windows like manner. Within Trinux (and all UNIX flavors) it is necessary to mount and unmount floppy disks to access the data contained therein. To mount and unmount MS-DOS formatted floppy disks, the **fmount** and **fumount** utilities have been provided within Trinux. As an example of reading a text file on an MS-DOS formatted floppy disk:

Insert the floppy into the disk drive

fmount

cd /floppy (change directory to the just mounted floppy)

more some_file.txt (read the text file)

cd / (it is required to change directory from /floppy prior to running the fumount command)

fumount

Remove the floppy from the disk drive

An example of mounting a floppy disk which has been formatted with the Linux based (ext2) file system (Fox):

Insert the floppy into the disk drive

mount -t ext2 /dev/fd0 /floppy

cd /floppy

more some_file.txt

cd /

umount /floppy

Remove the floppy from the disk drive

To shut down the Trinux OS, simply type '**halt <return>**'. Be forewarned, any work that one creates within Trinux must be saved to an external media prior to halting the system. Due to the fact that Trinux is a wholly RAM based OS, all work will be lost otherwise. The utilities **savehome** and **gethome** are provided for the user to facilitate saving work to external systems via ssh or ftp. Alternatively, one can copy (**cp**) or move (**mv**) work to a floppy disk prior to system shut down. Finally, the command **man** followed by the name of a loaded package will

display the help page for that particular package, detailing options and proper syntax to run the utility.

Tool Safety

Trinux is safe. Trinux is not safe. The outcome is based upon the nature of the person using it. Granted physical access to a Windows 2000 workstation, the IDE image of Trinux (NTFS file system support already included) has the utilities at hand for a user to extract the SAM database. (The SAM database contains user accounts and associated passwords.) The rather simple steps to do so:

- boot Trinux
- remove the boot disk and insert a second disk
- **fmount**
- **cp /hda1/winnt/system32/config/sam /floppy**
- **fmount**
- feed the results from the floppy into the latest version of L0phtCrack – LC3 (available at <http://www.atstake.com/research/lc3>)

Whether the above steps are taken by a system administrator to recover the lost Administrator account's password or by a system cracker who has found an unsecured workstation and has nefarious intentions, the results are the same regardless of the mindset.

Earning One's Keep

Though Trinux's base utilities are useful, they are limited. The true beauty of Trinux lies in the packages. One of the available packages is ettercap. Described by the tool's authors as "a multipurpose sniffer/interceptor/logger for switched LANs. It supports active and passive dissection of many protocols (even ciphered ones) and includes many features for network and host analysis. a packet sniffer." (Ornaghi and Valleri) This author installed ettercap during the boot up phase of Trinux from floppy disk. After verifying that the file existed in the /usr/bin directory, he typed "man ettercap" at the command prompt to gain insight on how to run ettercap. After a few minutes of perusing the details, he typed "/usr/bin/ettercap -a" to attempt ARP based sniffing; the utility correctly identified the four IP addresses in the network it was attached to, however, it appeared to hang when it attempted to resolve each IP address. The author returned to the man page for ettercap for guidance, noting the "-d" option which prevents resolving of IP addresses during start up. The option worked and the author was rewarded with a multi-colored screen similar to the following:

Ettercap 0.5.4

```
4 hosts in this LAN (192.168.123.151 : 255.255.255.0)
  1) 192.168.123.151      1) 192.168.123.151
  2) 192.168.123.113    2) 192.168.123.113
  3) 192.168.123.167    3) 192.168.123.167
  4) 192.168.123.254    4) 192.168.123.254
```

Before sniffing select AT LEAST source OR destination!!

Your IP: 192.168.123.151 MAC: 00:BF:BF:BF:BF:BF Iface: eth0 Link: SWITCH
Host: Unknown host (192.168.123.151) : 00:BF:BF:BF:BF:BF

By hitting the ESC button, the “Before sniffing...” statement was removed. Using the arrow keys then permitted the author to highlight an IP address for the source, pressing the enter button designated it accordingly. A destination IP address was chosen in the same fashion. The designated IP addresses were written to the screen, just below the “ettercap 0.5.4” banner.

Next, the author pressed the F1 key and was greeted with an options window. The ARP poisoning option looked interesting, so he hit ESC and then punched the “A” button on the keyboard to begin the packet capture. (ARP poisoning is a sniffing method in which computer A poisons the switch’s ARP cache and acts as a man-in-the-middle, passing back and forth communications between two IP addresses with neither being aware that an imposter is in their midst.) The Packets and details began to appear on the screen accordingly:

Ettercap 0.5.4

SOURCE: 192.168.123.113 <-- Filter: OFF
--doppleganger – illithid (ARP Based) – ettercap
DEST : 192.168.123.167 <-- Active Dissector: ON

4 hosts in this LAN (192.168.123.151 : 255.255.255.0

1) 192.168.123.113:1561	<-->	192.168.123.167:137	UDP netbios-ns
2) 169.254.185.219:137	<-->	192.168.123.167:137	UDP netbios-ns
3) 192.168.123.113:137	<-->	192.168.123.167:137	UDP netbios-ns
4) 192.168.123.167:33145	<-->	192.168.123.113:23	OPENING telnet
5) 192.168.123.113:2106	<-->	192.168.123.167:23	CLOSED telnet
6) 192.168.123.113:2111	<-->	192.168.123.167:21	OPENING ftp

Your IP: 192.168.123.151 MAC: 00:BF:BF:BF:BF:BF Iface: eth0 Link: SWITCH
Host: Unknown host (192.168.123.151) : 00:BF:BF:BF:BF:BF

As evidenced from the above screen rendition, ettercap is able to glean numerous details of the transactions between the two IP addresses – port numbers, packet type (UDP, TCP), TCP state (opening, closed), service type (netbios, telnet, ftp, etc.). Furthermore, ettercap has options to create filters to limit what types of data are captured, capture passwords to log files, and inject characters into the connections to actually manipulate the data in transit; this is a limited sample of ettercap’s many capabilities.

One may view the above scenario and think that only bad things could come of such software. Consider, however, the case of using non-commercial software downloaded from the Internet in a switched LAN environment. It never hurts to slip ettercap between the PC with the untested

software and, perhaps, one's Internet gateway to ensure that the software is behaving properly and as documented.

Summary

“Trinux introduces the Linux-shy to the world of security tools with compassion and ease.” (McClure and Scambray) It is difficult to conceive a better description of Trinux. In a similar manner, it would be difficult to conceive acquiring the status of computer security guru without advancing into the world of Linux and the numerous security tools created within its domain. Trinux affords an easy transition into both.

© SANS Institute 2001, Author retains full rights.

References

Franz, Matthew. Trinux home page.

URL: <http://trinux.org> or

URL: <http://trinux.sourceforge.net>

Fox, Tammy. "Using Your Floppy Drive." Linux Headquarters. 22 April 2001

URL: <http://www.linuxheadquarters.com/howto/basic/floppy.shtml>

Gagne, Marcel. "Getting Small with Linux, Part 2." Linux Journal. 7 April 2000.

URL: <http://www2.linuxjournal.com/articles/sysadmin/028.html>

McClure, Stuart. Scambray, Joel. "Security Watch" Infoworld. 22 February 1999

URL: <http://www.infoworld.com/cgi-bin/displayArchive.pl?/99/08/o03-08.52.htm>

Ornaghi, Alberto. Valleri, Marco. Ettercap home page.

URL: <http://ettercap.sourceforge.net/index.php?s=home>

© SANS Institute 2001, Author retains full rights



Upcoming SANS Training

[Click Here for a full list of all Upcoming SANS Events by Location](#)

SANS Chicago 2017	Chicago, ILUS	Aug 21, 2017 - Aug 26, 2017	Live Event
SANS Virginia Beach 2017	Virginia Beach, VAUS	Aug 21, 2017 - Sep 01, 2017	Live Event
SANS San Francisco Fall 2017	San Francisco, CAUS	Sep 05, 2017 - Sep 10, 2017	Live Event
SANS Tampa - Clearwater 2017	Clearwater, FLUS	Sep 05, 2017 - Sep 10, 2017	Live Event
SANS Network Security 2017	Las Vegas, NVUS	Sep 10, 2017 - Sep 17, 2017	Live Event
SANS Dublin 2017	Dublin, IE	Sep 11, 2017 - Sep 16, 2017	Live Event
SANS Baltimore Fall 2017	Baltimore, MDUS	Sep 25, 2017 - Sep 30, 2017	Live Event
Data Breach Summit & Training	Chicago, ILUS	Sep 25, 2017 - Oct 02, 2017	Live Event
SANS Copenhagen 2017	Copenhagen, DK	Sep 25, 2017 - Sep 30, 2017	Live Event
SANS London September 2017	London, GB	Sep 25, 2017 - Sep 30, 2017	Live Event
Rocky Mountain Fall 2017	Denver, COUS	Sep 25, 2017 - Sep 30, 2017	Live Event
SANS SEC504 at Cyber Security Week 2017	The Hague, NL	Sep 25, 2017 - Sep 30, 2017	Live Event
SANS DFIR Prague 2017	Prague, CZ	Oct 02, 2017 - Oct 08, 2017	Live Event
SANS Oslo Autumn 2017	Oslo, NO	Oct 02, 2017 - Oct 07, 2017	Live Event
SANS October Singapore 2017	Singapore, SG	Oct 09, 2017 - Oct 28, 2017	Live Event
SANS AUD507 (GSNA) @ Canberra 2017	Canberra, AU	Oct 09, 2017 - Oct 14, 2017	Live Event
SANS Phoenix-Mesa 2017	Mesa, AZUS	Oct 09, 2017 - Oct 14, 2017	Live Event
Secure DevOps Summit & Training	Denver, COUS	Oct 10, 2017 - Oct 17, 2017	Live Event
SANS Tysons Corner Fall 2017	McLean, VAUS	Oct 14, 2017 - Oct 21, 2017	Live Event
SANS Brussels Autumn 2017	Brussels, BE	Oct 16, 2017 - Oct 21, 2017	Live Event
SANS Tokyo Autumn 2017	Tokyo, JP	Oct 16, 2017 - Oct 28, 2017	Live Event
SANS Berlin 2017	Berlin, DE	Oct 23, 2017 - Oct 28, 2017	Live Event
SANS Seattle 2017	Seattle, WAUS	Oct 30, 2017 - Nov 04, 2017	Live Event
SANS San Diego 2017	San Diego, CAUS	Oct 30, 2017 - Nov 04, 2017	Live Event
SANS Gulf Region 2017	Dubai, AE	Nov 04, 2017 - Nov 16, 2017	Live Event
SANS Miami 2017	Miami, FLUS	Nov 06, 2017 - Nov 11, 2017	Live Event
SANS Amsterdam 2017	Amsterdam, NL	Nov 06, 2017 - Nov 11, 2017	Live Event
SANS Milan November 2017	Milan, IT	Nov 06, 2017 - Nov 11, 2017	Live Event
SANS Sydney 2017	Sydney, AU	Nov 13, 2017 - Nov 25, 2017	Live Event
Pen Test Hackfest Summit & Training 2017	Bethesda, MDUS	Nov 13, 2017 - Nov 20, 2017	Live Event
SANS Paris November 2017	Paris, FR	Nov 13, 2017 - Nov 18, 2017	Live Event
SANS Adelaide 2017	OnlineAU	Aug 21, 2017 - Aug 26, 2017	Live Event
SANS OnDemand	Books & MP3s OnlyUS	Anytime	Self Paced