



Interested in learning
more about security?

SANS Institute InfoSec Reading Room

This paper is from the SANS Institute Reading Room site. Reposting is not permitted without express written permission.

Basic Cryptanalysis Techniques

Cryptography is a complex and mathematically challenging field of study. It involves taking some data or message and obfuscating it so that it is unreadable by parties that the message was not intended. Before the message becomes encrypted it is referred to as the plain text . Once a message becomes encrypted it is then referred to as the cipher text . The study of cipher text in an attempt to restore the message to plaintext is known as cryptanalysis. Cryptanalysis is equally mathematically challenging and complex as ...

Copyright SANS Institute
Author Retains Full Rights

AD

Veriato

Unmatched visibility into the computer
activity of employees and contractors



Basic Cryptanalysis Techniques

Craig Smith

November 17th, 2001

Introduction

Cryptography is a complex and mathematically challenging field of study. It involves taking some data or message and obfuscating it so that it is unreadable by parties that the message was not intended. Before the message becomes encrypted it is referred to as the *plain text*. Once a message becomes encrypted it is then referred to as the *cipher text*.

The study of cipher text in an attempt to restore the message to plaintext is known as cryptanalysis. Cryptanalysis is equally mathematically challenging and complex as cryptography. Because of the complexity involved with cryptanalysis work this document is only focused on the basic techniques needed to decipher monoalphabetic encryption ciphers and cryptograms.

The only application referenced in this document is the CRyptoANalysis ToolKit (CRANK). This program can be found at <http://crank.sourceforge.net/>. A basic understanding of cryptanalysis is essential to appreciating the complexities of a good cryptographic algorithm. For example a manager of a software company or someone who is involved with code auditing would find it is essential that good well tested algorithms are used instead of a weak in house cipher. This paper will give you the basic tools necessary to begin a rudimentary examination of a cipher.

Definition of terminology

This section will define several terms as well as give a brief introduction into cryptography. A term used specifically for cryptanalysis is called *known text*. Known text is when there is an encrypted message and a known corresponding plaintext. This may not be the whole message but perhaps a section of the message, e.g. every message sent ends with the plaintext letters "EOT". By using cipher text with known text you can attempt to deduce the complete key used to encrypt all messages, which will greatly facilitate future deciphering.

There are several basic methods that can be used to encrypt a message. One method is called a *transpositional cipher*. This cipher only changes the order of the plaintext within the message, e.g. "LEAVE AT NOON" might become "EVAELTANOON". Another method is known as a *substitutional cipher*. This method exchanges the characters in the plaintext with other characters defined by a *key*. The key is the mapping of characters from the plain text to the cipher text as in the following:

```
ABCDEFGHIJKLMNOPQRSTUVWXYZ  
zyxwvutsrqponmlkjihgfedcba
```

Using the same message from the above example this key would produce the following message: "OVZEVZGMLLM". This method of substitution is known as a *Monoalphabetic Unilateral Substitution cipher*. This term implies that for each letter in a plaintext message there is only one equivalent cipher character. (Note: The majority of

this document will focus on these types of cipher systems. Monoalphabetic Unilateral Substitution systems will simply be referred to as a substitution cipher for the sake of clarity and brevity.)

Basic cryptanalysis techniques

One good method for solving basic substitution ciphers is with frequency counts. A frequency count can be conducted on a cipher to learn what the most and least common characters are in the cipher. The most common letters in the English language are E,T,N,R,O,A,I and S. These eight characters make up around 67% of the words in the English language. Vowels, A,E,I,O, and U make up around 40% of English text. The frequency may vary depending on what the plaintext is. For example, if the message is source code it will use many more symbols than a message that is just written in English. If you conduct a frequency count of this paragraph your results would be: E, T, A, O, and S.

As you can see the results are not exactly the same. This is because there are approximately 500 characters in the above paragraph. If you use a sample of 1000 characters or more your results will become more accurate. The frequency count of a single character is referred to as a *Unigraph*. If the frequency of cipher text is actually the same as plaintext then the encoded method is actually a transpositional cipher instead of a substitution cipher. Consider the following example:

Plaintext: IF WE DO NOT PROPERLY PROTECT THE USERS DATA WE CAN
SIMPLY HIDE BEHIND THE DMCA IF SOMEONE NOTICES!!

Transpositional: I O O Y F D T P O E P W P R R E N R L O T T S D W E H E A E C E R T T S A C U
A N P I E L D H T S Y E I H I N E M H B D D I M C M F E N E C O O S A S N T ! O E I !

Substitution: R U D V W L M L G K I L K V I O B K I L G V X G G S V F H V I H W Z G Z D V X Z M
H R N K O B S R W V Y V S R M W G S V W N X Z R U H L N V L M V M L G R X V H !

Top 5 Unigraph Frequency counts:

Plaintext: E, O, T, I and D

Transpositional: E, O, T, I and D

Substitution: V, G, L, R and H

Even though the transpositional cipher is a small sample, it has the top 4 letters used in plaintext with E being the highest.

When dealing with a substitution cipher you should check the frequency of letters and their adjacent letters as well. A pair of letters together is referred to as a *Digraph*. The common digraphs in the English language are, TH, HE, EN, RE and ER. There are also *Trigraphs* that consist of frequency of three letters next to each other THE, ING, CON, ENT and ERE.

Roughness of the cipher

If some characters are significantly more frequent than others then the cipher is considered "rough". Rough ciphers are a sign that a monoalphabetic unilateral cipher is

being used. A more complex cipher will distribute the frequency, making the cipher appear flat.

```

                X
                X
                X
                X
                X
                X
                X
                X
                X
                X
                X
                X
            X    X
            X    X    X    X
            XX   XX   X   XX
            XXX  XXX  XX  XXX X
            XXX  XXXX  XX  XXX X
            X X   XXX  XXXXX  XX  XXXX X
            X X  XXXX  XXXXX  XX  XXXXXX
            ABCDEFGHIJKLMNOPQRSTUVWXYZ
    
```

If the cipher was more complex than it would maintain a flat look even with a greater sample. Here's is an example of what a flat layout might look like.

```

            XXX  XXX X XX X XXX XXXX
            XXXX XXXX XXXXXX XXXXXXXXXXX
            XXXXXXXXXXXXXXXXXXXXXXXXXXXX
            XXXXXXXXXXXXXXXXXXXXXXXXXXXX
            ABCDEFGHIJKLMNOPQRSTUVWXYZ
    
```

Determining a ciphers roughness helps in determining its complexity and how much work might be involved in deciphering it.

Format and patterns of a cipher

Every outside piece of information can help in deciphering a message. What language, underlying content, word sizes, can all greatly assist in determining the plain text. Many ciphers will not show spaces and punctuation with their cipher. For instance they may group all the words in chunks of five with a set character if padding is needed. If the message is "DO NOT TRANSMIT", then the cipher may be broken up to look like this: WLMLG GIZMH NRGXX, "X" is padding; with simple Sunday paper cryptograms you get spaces and sometimes punctuation. Special tricks can be used to decipher these ciphers very quickly. One very fast trick is to find a word that is greater than six characters and determine its pattern. For each unique letter in the word assign it a sequential number. We will decipher the following cryptogram as an example.

UEY WKHH YOA OAXABSH PKNNABAFZ KFOZBYGAFZO ZE PAQKDLAB S
GAOOSMA

Here the cipher is small and our frequency count may be off by a significant amount but the benefit of knowing the size of the words (assuming that the spaces are correct) exists. First we'll select a large word, "KFOZBYGAFZO" and determine its pattern.

```

KFOZBYGAFZO
12345678243
    
```

The first 8 letters are unique and the last three are repeats from the beginning of a word. Using this pattern and comparing it to 11 letter words in the dictionary, the possibilities are reduced provided "KFOZBYGAFZO" translates into an English word. Below is a simple perl script used to simplify this task.

----[Snip]----

```
#!/usr/bin/perl
# Searches a dictionary for a word pattern
# 2001 Craig Smith
#
die "Usage: $0 <word>\n" if $#ARGV != 0;

my $DICT_FILE="/usr/share/dict/american-english"; # English text
my $my_pattern=get_pattern(uc($ARGV[0]));        # Retrieve our
pattern

open DICT, $DICT_FILE || die "Couldn't open $DICT_FILE!\n";
while(<DICT>) {
    chomp($dict_word=$_);                        # Remove Carriage
Return from word
    next if length($dict_word) ne length($ARGV[0]); # Only
compare same length
    print "Try $dict_word.\n" if $my_pattern eq
get_pattern(uc($dict_word));
}
close DICT;
exit(0);

# Usage: get_pattern(TEXT) returns numeric pattern
sub get_pattern {
    my $word=shift;
    my $letter;
    my $pat_count=0;
    my %letter_pat;
    my $pattern;

    for(my $cnt=0; $cnt<length($word); $cnt++) {
        $letter=substr($word,$cnt,1);
        $letter_pat{$letter}=++$pat_count if !$letter_pat{$letter};
        $pattern.= $letter_pat{$letter};
    }
    return $pattern;
}
}
```

----[End Snip]----

Using this program the encrypted word "KFOZBYGAFZO " yields:

Try instruments.

If this word works then there will be 8 letters to the cipher. After replacing KFOZBYGAFZO with the word "instruments " the results look rather promising. The capital letters are the original cipher text and the lower case letters are what is believed to be the plain text.

Message: UEu WiHH use seXerSH PiNnerent instruments tE PeQiDLer S messSMe

Taking the word before "instruments" and using the program to see if any of the results end with 'erent'. With the assistance of the UNIX "grep" command the program yeilds:

```
./find_pattern.pl PKNNABAFZ | grep erent  
Try different.
```


As evident these type of ciphers are extremely trivial and can be decoded quickly. This technique is only effective when there are spaces between the words in a cipher. There are many other different tricks that can used depending on the circumstances and any *knowns* about the cipher or the underlying plain text.

Using CRANK to assist in deciphering messages

CRANK is the CRyptANalysis toolKit created by Matthew Russell. The program and source code can be obtained at <http://crank.sourceforge.net/>. This program focuses on Monoalphabetic substitution ciphers as well as transpositional ciphers. At the time of this writing there are two versions of CRANK, v1.4 and v2.1, though v2.1 is still in beta.

Version 1.4 can help with much of the math and statistics when dealing with a substitution cipher.


There are two main windows that will do most of your work in, source and view. The source window is for the original cipher text and the view is the current guess on the plain text. The first thing is to load some text into the source window and prepare it to be encrypted. After pasting the text into the Souce window choose Text->Simple Filters.



There exists some convenient formatting tools that can strip out punctuation, spaces and even group the text into five characters a piece. This tool bar can be used for creating

and formatting plaintext messages to encrypt.


CRANK can calculate the frequency of the unigrams, bigrams, and trigraphs by selecting Statistics->n-grams, then choose either unigrams, bigrams or trigraphs respectively.



Letter	Frequency	Standard Frequency
B	0.13465783	0.01516146
R	0.09492274	0.06552538
M	0.09050772	0.02796856
O	0.08388521	0.07084914
F	0.08167771	0.02232360
N	0.07505519	0.06641039
S	0.05960265	0.07497352
X	0.05298013	0.00507774
A	0.03973510	0.07586537
L	0.03532009	0.04363232
U	0.03311258	0.03489151
Y	0.03090508	0.01852725
C	0.02869757	0.04053648
D	0.02869757	0.03327524
Z	0.02649007	0.00090210
H	0.02207506	0.03791901
T	0.02207506	0.09295404
J	0.01986755	0.00113788
Q	0.01986755	0.00141466
E	0.01324503	0.12018794
V	0.00441501	0.01093798
K	0.00220751	0.00605160

Within Frequency, are the letters ordered by highest to lowest frequency. These number are actually the overall percentage frequency that the character show up in the text. "B" is the most frequent character at 13.4% followed by "R", "M", "O" and "F". The standard frequency column is the frequency that is normally expected. Sorting by standard frequency will show the top five characters as E,T,N,R and O. CRANK can recalculate the standard frequencies of many different types of plain text files. This can be useful for analyzing something that may not be written in complete sentences such as military communications.

CRANK also has a nice key control feature for use with basic substitution ciphers. The following toolbar is displayed when Monoalphabetic->key controls is selected.



First, the screen should have the alphabet in capital letters as well as lowercase. The capital letters represent the cipher text and the lowercase will be the key. If no key is present then press the "complete" button to fill in a default key. The key can be shifted by using "Shift<<" or "Shift>>". Press the "Reverse" button to re-arrange the key in reverse order.

Use "Clear" to wipe out the key and the display will show '*s for unknown key entries.

By using the change key you can enter the letters you wish to substitute, e.g. since B was the most frequent it can be changed to an E. The key will be updated as well as the View window. Uppercase letters show up as entries that have not been decoded yet while the lower case letters are from the key. It should be noted that CRANK does not differentiate between Uppercase and Lowercase in the cipher itself.

CRANK has many more features and several tools such as an auto-cracker for monoalphabetic ciphers. It also has an extensive amount of tools for dealing with transpositional ciphers as well.

Exercise for the reader

Now that you should be very comfortable in solving monoalphabetic unilateral ciphers, I leave you with a small exercise. Time yourself and decode the following cipher text.

HEWFNUXEYHC XS AHNOLFOB WYH ZURNFU XSAROTFWXRS FEELOFSDH DHOWXAXDFWXRS
ZXFD QORZOFT XE F OXZRORLE QORZOFT CHEXZSHC WR HSELOH WYFW EHDLOXWB
QORAHEEXRSFUE THHW F TXSXTLT EWFSCFOC RA HIDHUHSDH XS WYH VSRJUHCZH
FSC EVXUUE WYHB QREEHEE WYHOH XE F DOXWXDFU EYROWFZH RA XSAROTFWXRS
EHDLOXWB QORAHEEXRSFUE XS WYH XSCLEWOB WRCFB TFSB RA WYREH HSWOLEWHC
JXWY EHDLOXWB OHEQRSEXNXUXWXHE YFKH SRW OHDXKHC WYH WOFXSXSZ SHDHEEFOB
WR CR WYHXO MRNE ZXFD DHOWXAXDFWXRS HSFNUHE WYREH XS WYH EHDLOXWB
XSCLEWOB WR CHTRSEWOFWH WYH CHQWY RA WYHXO FNXUXWB FSC FEELOH DLOOHSW
RO QOREQHDWXXH HTQURBHOE WYFW WYH DHOWXAXHC XSCXKXCLFU YFE WYH FNXUXWB
WR ELDDHHC

Enjoy!

References

Russell, Matthew. "CRANK - CRyptANalysis toolKit". 21 Aug 2001.
URL:<http://crank.sourceforge.net/about.html> (24 Nov 2001).

Brown, Lawrie. "Classic Cryptography". 22 Feb 1996.
URL:<http://www.geocities.com/SiliconValley/Network/2811/classic/classical.htm> (24 Nov 2001)

Nichols, Randy, "Lanaki Lesson I" Classic Cryptography Course, Volumes I and II from Aegean Park Press. 27 Sep 1995.
URL:<http://www.fortunecity.com/skyscraper/coding/379/lesson1.htm> (24 Nov 2001)

Teitelbaum, Jeremy T., "Classic Ciphers". 1995.
URL:<http://raphael.math.uic.edu/~jeremy/crypt/intro.html> (24 Nov 2001)

ThinkQuest Team. "Deciphering Encrypted Data: Frequency Ordering" Decipher Encrypted Data. 1999. URL: <http://library.thinkquest.org/27158/decipher3.html> (24 Nov 2001)

SANS Institute. "SANS GIAC Training and Certification".
URL:http://www.sans.org/giact/GIAC_certs.htm (24 Nov 2001)



Upcoming SANS Training

[Click Here for a full list of all Upcoming SANS Events by Location](#)

SANS Riyadh April 2018	Riyadh, SA	Apr 28, 2018 - May 03, 2018	Live Event
SANS SEC460: Enterprise Threat Beta Two	Crystal City, VAUS	Apr 30, 2018 - May 05, 2018	Live Event
Automotive Cybersecurity Summit & Training 2018	Chicago, ILUS	May 01, 2018 - May 08, 2018	Live Event
SANS SEC504 in Thai 2018	Bangkok, TH	May 07, 2018 - May 12, 2018	Live Event
SANS Security West 2018	San Diego, CAUS	May 11, 2018 - May 18, 2018	Live Event
SANS Melbourne 2018	Melbourne, AU	May 14, 2018 - May 26, 2018	Live Event
SANS Northern VA Reston Spring 2018	Reston, VAUS	May 20, 2018 - May 25, 2018	Live Event
SANS Amsterdam May 2018	Amsterdam, NL	May 28, 2018 - Jun 02, 2018	Live Event
SANS Atlanta 2018	Atlanta, GAUS	May 29, 2018 - Jun 03, 2018	Live Event
SANS London June 2018	London, GB	Jun 04, 2018 - Jun 12, 2018	Live Event
SANS Rocky Mountain 2018	Denver, COUS	Jun 04, 2018 - Jun 09, 2018	Live Event
SEC487: Open-Source Intel Beta Two	Denver, COUS	Jun 04, 2018 - Jun 09, 2018	Live Event
DFIR Summit & Training 2018	Austin, TXUS	Jun 07, 2018 - Jun 14, 2018	Live Event
Cloud INsecurity Summit - Washington DC	Crystal City, VAUS	Jun 08, 2018 - Jun 08, 2018	Live Event
SANS Milan June 2018	Milan, IT	Jun 11, 2018 - Jun 16, 2018	Live Event
Cloud INsecurity Summit - Austin	Austin, TXUS	Jun 11, 2018 - Jun 11, 2018	Live Event
SANS ICS Europe Summit and Training 2018	Munich, DE	Jun 18, 2018 - Jun 23, 2018	Live Event
SANS Cyber Defence Japan 2018	Tokyo, JP	Jun 18, 2018 - Jun 30, 2018	Live Event
SANS Philippines 2018	Manila, PH	Jun 18, 2018 - Jun 23, 2018	Live Event
SANS Crystal City 2018	Arlington, VAUS	Jun 18, 2018 - Jun 23, 2018	Live Event
SANS Oslo June 2018	Oslo, NO	Jun 18, 2018 - Jun 23, 2018	Live Event
SANS Paris June 2018	Paris, FR	Jun 25, 2018 - Jun 30, 2018	Live Event
SANS Cyber Defence Canberra 2018	Canberra, AU	Jun 25, 2018 - Jul 07, 2018	Live Event
SANS Minneapolis 2018	Minneapolis, MNUS	Jun 25, 2018 - Jun 30, 2018	Live Event
SANS Vancouver 2018	Vancouver, BCCA	Jun 25, 2018 - Jun 30, 2018	Live Event
SANS London July 2018	London, GB	Jul 02, 2018 - Jul 07, 2018	Live Event
SANS Charlotte 2018	Charlotte, NCUS	Jul 09, 2018 - Jul 14, 2018	Live Event
SANS Cyber Defence Singapore 2018	Singapore, SG	Jul 09, 2018 - Jul 14, 2018	Live Event
SANSFIRE 2018	Washington, DCUS	Jul 14, 2018 - Jul 21, 2018	Live Event
SANS Malaysia 2018	Kuala Lumpur, MY	Jul 16, 2018 - Jul 21, 2018	Live Event
SANS Cyber Defence Bangalore 2018	Bangalore, IN	Jul 16, 2018 - Jul 28, 2018	Live Event
SANS Pen Test Berlin 2018	Berlin, DE	Jul 23, 2018 - Jul 28, 2018	Live Event
SANS Doha 2018	OnlineQA	Apr 28, 2018 - May 03, 2018	Live Event
SANS OnDemand	Books & MP3s OnlyUS	Anytime	Self Paced