



SANS Institute

Information Security Reading Room

Nimda Worm - Why is it Different?

Keith Poore

Copyright SANS Institute 2019. Author Retains Full Rights.

This paper is from the SANS Institute Reading Room site. Reposting is not permitted without express written permission.

Nimda Worm – Why is it Different?

Keith Poore

11 November 2001

On September 18, 2001 a number of sites noticed greatly increased traffic on port 80. This was the first indication of a new worm or virus spreading throughout the Internet. The Nimda worm spread very rapidly infecting a large number of computers around the world in a very short period of time. The majority of sites returned to near normal traffic in a few days. The Nimda worm should have taught us a few lessons. Let's hope we learned the lessons well.

What made the Nimda worm different from other worms that have been in circulation lately? Why was this any different or more harmful than the others? Why was it able to spread so rapidly? This paper will examine the Nimda worm to identify what makes it different from other types of malicious code. It will then present the current fixes available for the worm as well as some recommendations for protecting against further infections by similar types of malicious code.

Nimda Worm

The malicious code named Nimda is a worm and a virus. It's also very dangerous. It was first discovered on September 18, 2001¹. The code quickly travelled throughout the Internet infecting thousands of systems running Microsoft's Win9x/NT/ME/2000²

What is Nimda?

Nimda is malicious code that is classified by NAI as a virus, by CERT as a worm and by Incidents.Org as a worm/virus. How it's classified has little to do with the amount of damage that it has been inflicting. For the remainder of this paper, I will refer to Nimda as a worm.

The origin of the worm is still unknown but the executable contains a copyright string "Concept Virus (CV) 5.5, Copyright © 2001 R.P.China"³. The code generated so much traffic after its initial release that it caused denial of service effects at many sites. This denial of service condition is partially responsible for its discovery but it is not the main damage caused by the worm.

Why Dangerous

The Nimda worm is dangerous for many reasons. It is destructive, it eats up bandwidth, and it spreads rapidly. It exploits numerous vulnerabilities in the target operating systems. The worm compromises the security of the target computer. It can provide an attacker with full administrative authority, and provide access to the entire file system.

The worm is very difficult to delete because it makes numerous modifications to the target system. This includes registry changes and file system changes.

How does it spread?

The Nimda worm is unusual in that it uses a large number of methods to spread. The worm uses four major methods of propagation:

1. It can spread from client to client via email,
2. it can spread from client to client via open network shares,
3. it can be spread from a server to a client via browsing of infected web sites,
4. it can spread from client to web server via scanning for IIS vulnerabilities and backdoors left open by the CodeRed II and sadmin/IIS worms.

Each of these methods will be described in more details later in this document.

What does it do?

The Nimda worm attempts to replicate and to spread itself using as many different mechanisms as it can. It obtains email addresses from the infected computer by looking through the user's web cache and the contents of the user's email messages retrieved via the MAPI service.

The infected machine begins scanning the network for backdoors left on other systems by the CodeRed and sadmin/IIS worms. It also looks to exploit various IIS directory traversal vulnerabilities.

It attempts to transfer itself via tftp to a server that it finds vulnerable. Once the worm is running on a server, it starts to really make itself hard to remove. It traverses each directory of the system, including network shares, and writes a MIME-encoded copy of itself to each directory (using extensions .eml or .nws). If the worm finds a web content directory, then it adds a small piece of javascript code to each .HTM, .HTML or .ASP file it finds. The javascript code is as follows:⁴

```
<script language="JavaScript">  
window.open("readme.eml",null, "resizeable=no,top=6000,left=6000")  
</script>5
```

This allows the worm to spread when these pages are listed in a remote browser.

To make the target system even more vulnerable the worm creates an administrative share of the C drive (C\$), creates a Guest account on NT and Windows 2000 systems and it adds this account to the Administrator group.

Propagation Details

The next few paragraphs outline in more details how the worm propagates itself. Each of the four main methods is explored.

Email Propagation (client to client)

The worm finds email addresses as described above. An infected email is sent to all these email addresses. According to the CERT advisory, the subject of the email appears to be variable. Once an infected email is received on a system that supports the Automatic Execution of Embedded MIME types, it automatically runs the attached file and the system becomes infected. The worm then attempts to resend infected email messages every ten days.

Browser Propagation (server to client)

Anyone viewing an infected web page (see above) either locally or over the Internet may become infected. If the local browser automatically executes download code then the system may become infected. Note that only unpatched Internet Explorer browsers version 5 and up are affected.

File System Propagation (client to client)

Once on a system, the worm creates Trojan horse versions of legitimate programs by prepending itself to .EXE files. The worm traverses all directories including shared folders. This allows the worm to move from system to system.

Back Door Propagation (client to server)

The Nimda worm scans for back doors left behind by the CodeRed II and sadmin/IIS worms. The worm also tries to attack a web server running IIS/PWS using the "IIS/PWS Extended Unicode Directory Traversal Vulnerability and the "Escaped Character Decoding Command Execution Vulnerability". Once the worm has gained access to the target system, it uses TFTP to transfer itself using a file named Admin.dll. Unpatched IIS 3.0, 4.0, 5.0 and PWS 1.0 and 3.0 servers are vulnerable.

History

This worm/virus was first discovered on September 18, 2001 when many sites notice a drastic increase in the number of scans on port 80. CERT released the original Advisory on that date. The number of port 80 probes started to decrease the following day. It is interesting to note the drastic change in the number of probes from distinct IP addresses reported by the Internet Storm Center. The average number reported on the days before September 18th was between 30,000 and 40,000. On the 18th, 19th, 20th and 21st the number of probes from distinct IPs was approximately 120,000+, 120,000, 80,000 and 60,000 respectively.

The Nimda worm would attempt to try its mass mailings again 10 days after initial infection. The next round of attacks should have occurred on or about September 28, 2001. ZDNet reported ⁶ that the second wave did not materialize as expected.

New variants of the worm were discovered on October 5th, 12th, 29th and November 9th 2001. McAfee lower its risk assessment of the worm to medium on October 26th, 2001 due to a decrease in prevalence.⁷

While it is inconclusive, I have been monitoring probes on port 80 of my home machine (on the @Home network) and am currently receiving 40 probes per hour. This tells me that there are a lot of unpatched systems still active on the Internet.

Defence

How do we defend against future worms/viruses? Much of the defence comes from common sense. All system Administrators know that they must keep up with the latest release of their Anti-Virus software. Home users need to be educated about the dangers posed to their systems, but they must also learn to behave as good Internet citizens and to help protect the Internet from attacks that originate from their own computers.

In order to fix the problems caused by the Nimda worm, three distinct steps should be taken.

Apply System Patches

Apply patches to your applications as they become available. Microsoft has an information page⁸ on the Nimda worm. I will not duplicate the steps required to patch your system, but I will point out a few interesting details about the procedures recommended by Microsoft.

Email and Browser Patching

One of the vulnerabilities exploited by the Nimda worm was identified in Microsoft Security Bulletin MS01-020, which was originally posted on March 29, 2001.

Web Server Patching

Microsoft recommends applying patches provided by MS01-033 and MS01-044 to remove back doors created by the Code Red II worm. These patches have been available since June 18, 2001 and August 15, 2001 respectively.

The Folder Traversal vulnerability could have been blocked by applying patches provided with Microsoft Security Bulletins MS00-057, MS00-078, MS00-086, MS01-026, and MS01-044. The earliest of these bulletins has been available since August 10, 2000, more than a full year before the Nimda worm struck us.

File Shares

The dangers of file shares have been known for a long time. Individuals and organizations need to become more aware of the vulnerabilities of their systems. For those with little knowledge of how to protect their systems, Microsoft provides numerous checklists and guidelines. The Microsoft Personal Security Advisor⁹ is available for Windows NT 4 and Windows 2000. This web application scans your system and reports on numerous

vulnerabilities. It only takes a few minutes, and it can help you understand the state of your system.

Egress Filtering

The CERT advisory recommended that egress filtering be applied to traffic leaving your network. Most organizations try to control what enters their network but many do not pay any attention to what leaves their network. Egress filtering can be simple, and it can be complex. In relation to the Nimda worm, simply denying outbound traffic with a destination of UDP port 69 (tftp) would have slowed the spreading of the worm.

More complex egress filtering would involve things like watching traffic for unusual patterns like a sudden increase in the amount of outbound traffic with a destination of TCP port 80 and dynamically blocking the port and alerting the system administrator. Maybe this could have alerted system managers to the problems earlier, and slowed the spread of the worm.

The benefits of egress filtering goes beyond controlling the Nimda worm. Egress filtering can stop the spread of other worms and viruses. It can stop our sites from being used as a source for DDOS attacks. Eric Cole in his book "Hackers Beware", recommends a simple egress filter that examines packets leaving your network to ensure that the source address is from that local network.¹⁰

Changing systems

A drastic but maybe necessary step to avoid being attacked by many worms such as Nimda and Code Red II may be changing to a more secure system, or at least one that is a smaller target. On September 19th, 2001 the Gartner Group recommended such a drastic measure as shown below:

Gartner recommends that enterprises hit by both Code Red and Nimda immediately investigate alternatives to IIS, including moving Web applications to Web server software from other vendors, such as iPlanet and Apache. Although these Web servers have required some security patches, they have much better security records than IIS and are not under active attack by the vast number of virus and worm writers¹¹.

While it may not be necessary to change your web server, you should at least give it some thought.

Conclusion

Most of the damage caused by the Nimda worm could have been prevented. It has been clearly demonstrated that the vulnerabilities exploited by the worm have been known about for some time. Had system managers and individuals kept up to date with security bulletins

and applied patches as they became available, the Internet's exposure to the Nimda worm would have been greatly reduced.

Monitoring traffic to and from your site is important. You need to have some baseline data so that when unusual activity occurs, you can quickly spot it and take appropriate steps to contain the problem.

Employing ingress and egress filtering is important. The Nimda worm's use of UDP port 69 could have been denied by the use of a simple egress filter. The DOS conditions which occurred as a result of the worm trying to spread could have been reduced had system administrators been monitoring their outbound traffic and had taken steps to deny the worm the opportunity to spread. Filtering outbound traffic is not only good for your site but should be thought of as expected behaviour for a good Internet citizen.

References

"CERT[®] Advisory CA-2001-26 Nimda Worm", Revised: 25 September 2001
<http://www.cert.org/advisories/CA-2001-26.html>

"Information on the "Nimda" Worm", Microsoft TechNet
<http://www.microsoft.com/technet/security/topics/Nimda.asp> (10 November 2001)

"Microsoft Security Bulletin (MS01-020)", Originally posted 29 March 2001
<http://www.microsoft.com/technet/treeview/default.asp?url=/technet/security/bulletin/MS01-020.asp>

Microsoft Personal Security Advisor
<http://www.microsoft.com/technet/mpsa/start.asp> (11 November 2001)

"NIMDA Worm/Virus Report", Final: 3 October 2001
<http://www.incidents.org/react/nimda.pdf>

"Virus Summary W32/Nimda.gen@MM", McAfee, 9 November 2001
http://vil.nai.com/vil/virusSummary.asp?virus_k=99209

Cole, Eric. Hackers Beware, New Riders, 201 West 103rd Street, Indianapolis, Indiana 46290,

Lemos, Robert. "Nimda resurgence falls flat", ZDNetUK News, 1 October 2001
<http://news.zdnet.co.uk/story/0,,t270-s2096327,00.html>

McWilliams, Brian. "Nimda Still Active At AOL – Update", Newsbytes, **27 September 2001**
<http://www.newsbytes.com/news/01/170590.html>

Pescatore, John. "Nimda Worm Shows You Can't Always Patch Fast Enough", 19 September 2001
<http://www3.gartner.com/DisplayDocument?id=340962&acsFlg=accessBought>

End Notes

- ¹ McAfee Virus Summary
- ² McAfee Virus Summary
- ³ Nimda Worm/Virus Report
- ⁴ CA-2001-26
- ⁵ CA-2001-26
- ⁶ Lemos
- ⁷ McAfee Virus Summary
- ⁸ Information on the "Nimda" Worm
- ⁹ Microsoft Personal Security Advisor
- ¹⁰ Cole, p
- ¹¹ Pescatore

© SANS Institute 2001, Author retains full rights



Upcoming SANS Training

[Click here to view a list of all SANS Courses](#)

SANS Reno Tahoe 2019	Reno, NVUS	Feb 25, 2019 - Mar 02, 2019	Live Event
SANS Brussels February 2019	Brussels, BE	Feb 25, 2019 - Mar 02, 2019	Live Event
Open-Source Intelligence Summit & Training 2019	Alexandria, VAUS	Feb 25, 2019 - Mar 03, 2019	Live Event
SANS Baltimore Spring 2019	Baltimore, MDUS	Mar 02, 2019 - Mar 09, 2019	Live Event
SANS Training at RSA Conference 2019	San Francisco, CAUS	Mar 03, 2019 - Mar 04, 2019	Live Event
SANS Secure India 2019	Bangalore, IN	Mar 04, 2019 - Mar 09, 2019	Live Event
SANS St. Louis 2019	St. Louis, MOUS	Mar 11, 2019 - Mar 16, 2019	Live Event
SANS San Francisco Spring 2019	San Francisco, CAUS	Mar 11, 2019 - Mar 16, 2019	Live Event
SANS London March 2019	London, GB	Mar 11, 2019 - Mar 16, 2019	Live Event
SANS Secure Singapore 2019	Singapore, SG	Mar 11, 2019 - Mar 23, 2019	Live Event
SANS Secure Canberra 2019	Canberra, AU	Mar 18, 2019 - Mar 29, 2019	Live Event
SANS SEC504 Paris March 2019 (in French)	Paris, FR	Mar 18, 2019 - Mar 23, 2019	Live Event
SANS Munich March 2019	Munich, DE	Mar 18, 2019 - Mar 23, 2019	Live Event
SANS Norfolk 2019	Norfolk, VAUS	Mar 18, 2019 - Mar 23, 2019	Live Event
ICS Security Summit & Training 2019	Orlando, FLUS	Mar 18, 2019 - Mar 25, 2019	Live Event
SANS Doha March 2019	Doha, QA	Mar 23, 2019 - Mar 28, 2019	Live Event
SANS Jeddah March 2019	Jeddah, SA	Mar 23, 2019 - Mar 28, 2019	Live Event
SANS SEC560 Paris March 2019 (in French)	Paris, FR	Mar 25, 2019 - Mar 30, 2019	Live Event
SANS Madrid March 2019	Madrid, ES	Mar 25, 2019 - Mar 30, 2019	Live Event
SANS 2019	Orlando, FLUS	Apr 01, 2019 - Apr 08, 2019	Live Event
SANS Cyber Security Middle East Summit	Abu Dhabi, AE	Apr 04, 2019 - Apr 11, 2019	Live Event
SANS London April 2019	London, GB	Apr 08, 2019 - Apr 13, 2019	Live Event
Blue Team Summit & Training 2019	Louisville, KYUS	Apr 11, 2019 - Apr 18, 2019	Live Event
SANS Riyadh April 2019	Riyadh, SA	Apr 13, 2019 - Apr 18, 2019	Live Event
SANS Seattle Spring 2019	Seattle, WAUS	Apr 14, 2019 - Apr 19, 2019	Live Event
SANS Boston Spring 2019	Boston, MAUS	Apr 14, 2019 - Apr 19, 2019	Live Event
FOR498 Battlefield Forensics Beta 1	Arlington, VAUS	Apr 15, 2019 - Apr 20, 2019	Live Event
SANS FOR585 Madrid April 2019 (in Spanish)	Madrid, ES	Apr 22, 2019 - Apr 27, 2019	Live Event
SANS Northern Virginia- Alexandria 2019	Alexandria, VAUS	Apr 23, 2019 - Apr 28, 2019	Live Event
SANS Muscat April 2019	Muscat, OM	Apr 27, 2019 - May 02, 2019	Live Event
SANS Pen Test Austin 2019	Austin, TXUS	Apr 29, 2019 - May 04, 2019	Live Event
Cloud Security Summit & Training 2019	San Jose, CAUS	Apr 29, 2019 - May 06, 2019	Live Event
SANS Riyadh February 2019	OnlineSA	Feb 23, 2019 - Feb 28, 2019	Live Event
SANS OnDemand	Books & MP3s OnlyUS	Anytime	Self Paced