



Interested in learning  
more about security?

## SANS Institute InfoSec Reading Room

This paper is from the SANS Institute Reading Room site. Reposting is not permitted without express written permission.

### No Budget, No Policy: Leading the Bull by the Nose or Thank God for the Cisco IOS Firewall Feature S

As much as we'd like to think, everyone else is as security conscious as the SANS' community, that's just not the case. I know, I come from one such organization. We are a small to mid size with approximately 90 users. One of our smaller programs secured a federal grant to do some work with HIV positive clients (HIPAA driven). Part of the grant requirements require network security be implemented to protect client identifiers. I was the network administrator at the time and our organization immediately decided to inclu...

Copyright SANS Institute  
Author Retains Full Rights

AD

Veriato

Unmatched visibility into the computer  
activity of employees and contractors



Try Now

## No Budget, No Policy: Leading the Bull by the Nose or Thank God for the Cisco IOS Firewall Feature Set

As much as we'd like to think, everyone else is as security conscious as the [SANS](#)' community, that's just not the case. I know, I come from one such organization. We are a small to mid size with approximately 90 users. One of our smaller programs secured a federal grant to do some work with HIV positive clients ([HIPAA](#) driven). Part of the grant requirements require network security be implemented to protect client identifiers.

I was the network administrator at the time and our organization immediately decided to include "network security" as part of my job description. I was sent to my first SANS conference (this was suggested by the grant proposal guidelines). There I got a real taste of security and what it means. Among the many things that were hammered into us at the conference was: you need CEO (top management) buy-in and that you have to do a "needs assessment" and turn that into a security policy.

This didn't seem all that bad as the grant proposal required that we develop a security policy. Upon returning, I was included in the security committee. We were tasked with the development of a policy for our organization. This process, by itself, could lead to another story but in summary let's just say we produced a watered down security policy. This was then presented to our CEO along with the Executive committee. After explaining risk management and assessment to them, they decide that the organization wide security policy would state, "we are not implementing any security measures and that if other programs within the organization needed additional protection they need to come up with their own security policy to cover them."

This is where it got interesting. When I told the Program that had secured the Grant that they needed to develop a security policy to cover themselves per the organizational policy. They replied back, we wrote in the grant that we have a written security policy. I informed them that the only "written policy" that the organization came up with was, in fact, that we don't have one. They then look at me and said, well ... you're in charge of network security.

It was at this time that I was told that there was some money available for updating our network infrastructure. Everyone in our organization is addicted to two network applications, Internet browsing and email. So when I ask to spend the money on upgrading our perimeter Cisco router going into the Internet, I was given the green light.

I decided on a [Cisco](#) router 2651 with version 12.2.1 of the IOS with the following feature pack, ENTERPRISE/FW/IDS PLUS IPSEC 56 with additional RAM. So while the organization viewed this as getting a better router (which it was), I had tacked on (or piggy-backed) the ability to add security features onto our network. The Cisco IOS [Firewall feature set](#) adds the additional functionality of:

- [Standard access lists and static Extended access lists](#) – This allows you to do simple or complex packet filtering of network traffic based on TCP/IP protocols (layers 3 & 4 of the [OIS model](#)) or by network/host.
- [Lock-and-Key](#) (dynamic access lists) – Allows for temporary opening in the firewall for certain individuals after they have authenticated.
- [Reflexive access lists](#) – This will allow traffic into your network only if the session had originated from inside of your network.
- [TCP Intercept](#) – This watches for TCP sync flooding attacks (Denial of Service).
- [Context-Based Access Control](#) – This type of filtering not only examines Layers 3 & 4 but also the application protocols (i.e. FTP, POP, IMAP, HTTP, etc.). It maintains a table of state information for individual sessions. This table is then used to determine if traffic should be permitted and, if so, will make temporary holes in the firewall to allow it to pass through.
- Security server support – Allow router to be configured as a client for various types of security servers ([TACACS](#), [RADIUS](#), and [Kerberos](#)) which can then be used to control access.
- [Network Address Translation](#) – A means of cloaking your internal network by substituting a legitimate “public” IP address for your internal “private” IP addresses.
- [Cisco Encryption Technology](#) – Cisco’s proprietary protocol that encrypts packets that travel across unprotected networks (Internet).
- [IPSec network security](#) – An open standard that provides for the encryption of data between two peers.
- [Neighbor Router Authentication](#) – Requires router to authenticate before accepting updates to the router table from them.
- Event Logging - automatically logs output from system error messages and other events to the console terminal.
- User authentication and authorization – Helps protect router from unauthorized access.


So now, with all this additional security functionality, what can I do given that our organizations security policy basically states, “everyone is allow to do everything”.

One of the first things that come to mind is [Network Address Translation](#) (NAT). [RFC 1918](#) provides for non-routable (over the Internet) IP address that can be used on the internal network. With NAT, your internal non-routable IP addresses are substituted at the router for legitimate IP addresses and then are sent out to the Internet. When the packets return the router looks at its translation table to see where to send the packet internally. From a security perspective, this would hide your internal network from the Internet. The Internet side would only be able to see the legitimate IP addresses that the router was sending.

Next I decided to use [Cisco’s access lists](#) to implement [Egress](#) and [Ingress](#) filtering. Egress filtering tells the router to only allow packets going out if the source address originated from the internal network. And Ingress tells the router to drop any packets

coming into our network that have our own internal IP address as the source. From a security perspective Egress stops Denial of Service attacks from being launched from our network and Ingress stops spoofed packets from getting into our network.


The next part involves setting up a firewall features on our router. Although I was told our user should be able to anything they want, I was not given any specific guidance on what should be allowed from the outside (Internet). I took the liberty in assuming that blocking outside access to our internal network would not violate our Policy. I further decided that traffic originating from our public servers (Screened segment) should not be able to initiate traffic back into the internal network or onto the Internet. Then should these servers (WWW or RealAudio) be compromised, hacker would not be able to launch an attack from them to either the Internet or our internal network. In simplistic terms we could view the network as such.



We can now make some generalizations regarding which segments can initiate traffic onto the other segments, and present this in table form. This will be helpful in both documenting and configuring the Firewall on the router.

|                           | To <b>Internet</b> | To <b>Screened</b> | To <b>Internal</b> |
|---------------------------|--------------------|--------------------|--------------------|
| <b>Internet</b> initiated | N/a                | filtered           | no                 |
| <b>Screened</b> initiated | no                 | N/a                | no                 |
| <b>Internal</b> initiated | All                | All                | N/a                |

Please refer to network diagram below for sanitized representation of our network. The networked segment labeled “Public” below is the same on we referred to as “Screened” above. The commands for the Cisco Firewall set can be pretty intimidating. So if you are not a Cisco “guru”, I would suggest that you use Cisco’s [ConfigMaker](#). Configmaker is a software application that uses the “wizard” approach.



Configmaker generated the following configuration for my perimeter router. Notice the “inspect” statements. These are commands for Cisco’s [Context-Based Access Control](#) (CBAC). CBAC filters packets based on application-layer protocol session information. They can be used for general session maintenance, prevention of certain Denial of Service attacks, logging, and to open temporary holes in firewall for allowed traffic to pass through. Additional comments (documentation) provided by me are in purple.

```

!
service timestamps debug uptime
service timestamps log uptime
service password-encryption
!
! Turn off unnecessary services
!
! turn off tcp services not used
! Echo, Chargen, Discard, and Daytime
no service tcp-small-servers
! turn off udp services not used
! Echo, Chargen, Discard
no service udp-small-servers
! other services not needed that come
! turned on by default.
no service finger
no ip bootp server

```

```
!  
hostname Perimeter_router  
!  
enable password xxxxxxx  
!  
no ip source-route  
no ip name-server  
!  
ip subnet-zero  
no ip domain-lookup  
ip routing  
!  
! Context-Based Access Control  
!  
! start logging  
ip inspect audit-trail  
!  
! General session maintenance  
!  
! Time to wait for TCP session to reach established  
! state before dropping.  
ip inspect tcp synwait-time 30  
! Time TCP session will be managed after  
! receiving FIN.  
ip inspect tcp finwait-time 5  
! Time TCP session will be manage after no activity.  
ip inspect tcp idle-time 3600  
! Time UDP session will be manage after no activity.  
ip inspect udp idle-time 30  
! Time DNS lookup session will be manage after no activity.  
ip inspect dns-timeout 5  
!  
! DoS attack thresholds  
!  
! Defines the limits for triggering deletion of existing  
! half-open sessions.  
ip inspect one-minute low 900  
ip inspect one-minute high 1100  
ip inspect max-incomplete low 900  
ip inspect max-incomplete high 1100  
ip inspect tcp max-incomplete host 50 block-time 0  
!  
! IP inspect FastEthernet_0_0  
! Will record the following application sessions  
! and open up temporary holes in firewall.  
! Will be applied to Fastethernet 0/0.
```

```
!  
no ip inspect name FastEthernet_0_0  
ip inspect name FastEthernet_0_0 tcp  
ip inspect name FastEthernet_0_0 udp  
ip inspect name FastEthernet_0_0 cuseeme  
ip inspect name FastEthernet_0_0 ftp  
ip inspect name FastEthernet_0_0 h323  
ip inspect name FastEthernet_0_0 rcmd  
ip inspect name FastEthernet_0_0 realaudio  
ip inspect name FastEthernet_0_0 smtp  
ip inspect name FastEthernet_0_0 streamworks  
ip inspect name FastEthernet_0_0 vdolive  
ip inspect name FastEthernet_0_0 sqlnet  
ip inspect name FastEthernet_0_0 tftp  
!  
! IP inspect Serial_0_0_1  
! Will record the following application sessions  
! and will open up temporary holes in firewall.  
! Will be applied to Serial 0/0.1  
!  
no ip inspect name Serial_0_0_1  
ip inspect name Serial_0_0_1 tcp  
ip inspect name Serial_0_0_1 realaudio  
ip inspect name Serial_0_0_1 smtp  
!  
interface FastEthernet 0/0  
no shutdown  
description internal network  
! Subnet off private address space 10.x.x.x  
ip address 10.25.0.1 255.255.0.0  
! Use Network Address Translation on  
! this interface.  
ip nat inside  
! Record session information to open  
! temporary holes in the firewall, used by CBAC.  
ip inspect FastEthernet_0_0 in  
! Apply Egress filtering.  
ip access-group 101 in  
keepalive 10  
!  
interface FastEthernet 0/1  
no shutdown  
description Screened subnet  
! This subnet house services which we offer to Internet.  
ip address 209.20.146.135 255.255.255.224  
! Stop traffic initiating on this interface to
```

```
! Internet and internal network.
ip access-group 100 in
keepalive 10
!
interface Serial 0/0
no shutdown
no description
no ip address
encapsulation frame-relay
frame-relay lmi-type ansi
!
interface Serial 0/0.1 point-to-point
no shutdown
description Internet
ip address 209.20.128.145 255.255.255.252
! apply NAT translation to the Internet
ip nat outside
! check for and record allowed traffic in
! from the Internet (CBAC)
ip inspect Serial_0_0_1 in
! Apply Ingress filtering
ip access-group 102 in
frame-relay interface-dlci 19
!
! Access Control List 1
!
! For use by NAT
!
no access-list 1
access-list 1 permit 10.25.0.0 0.0.255.255
access-list 1 permit 10.1.0.0 0.0.255.255
access-list 1 permit 10.5.0.0 0.0.255.255
!
! Access Control List 100
! Applied to FastEthernet 0/1 in
!
no access-list 100
access-list 100 deny ip 10.25.0.0 0.0.255.255 any
access-list 100 deny ip 10.1.0.0 0.0.255.255 any
access-list 100 deny ip 10.5.0.0 0.0.255.255 any
access-list 100 permit udp any eq rip any eq rip
!
! Access Control List 101
! Applied to FastEthernet 0/0 in
!
no access-list 101
```



```
access-list 101 deny ip 209.20.146.128 0.0.0.31 any
access-list 101 permit ip any any
!
! Access Control List 102
! Applied to Serial 0/0.1 in
!
no access-list 102
access-list 102 deny ip 209.20.146.128 0.0.0.31 any
access-list 102 deny ip 10.0.0.0 0.0.0.255 any
access-list 102 permit tcp any 209.20.146.128 0.0.0.31 eq 80
access-list 102 permit tcp any 209.20.146.128 0.0.0.31 eq 110
access-list 102 permit tcp any 209.20.146.128 0.0.0.31 eq 7070
access-list 102 permit tcp any 209.20.146.128 0.0.0.31 eq 25
!
! Dynamic NAT
! Configure for NAT
!
ip nat translation timeout 86400
ip nat translation tcp-timeout 86400
ip nat translation udp-timeout 300
ip nat translation dns-timeout 60
ip nat translation finrst-timeout 60
ip nat pool Org_rtr2-natpool-1 209.20.146.150 209.20.146.158 netmask
255.255.255.224
ip nat inside source list 1 pool Org_rtr2-natpool-1 overload
!
router rip
version 2
network 10.0.0.0
network 209.20.146.0
passive-interface Serial 0/0.1
no auto-summary
!
!
ip classless
!
! IP Static Routes
ip route 0.0.0.0 0.0.0.0 Serial 0/0.1
no ip http server
snmp-server location ISP border
snmp-server contact Joe Routerman
!
line console 0
exec-timeout 0 0
password xxxxxx
login
```

```
!  
line vty 0 4  
password xxxxxx  
login  
!  
end
```

After implementing the above on my router, I launched into a crusade to increase awareness of security throughout my organization. Every time I got called into a meeting dealing with the network or security I brought diagrams of the firewall's implementation and pointed out to management that without any guidance, I implemented as much protection as I could without violating their written security policy. I explained to them how we were stopping spoofing (Ingress), stopping DoS attacks from originating from our network (Egress), cloaking our internal network IP address from the outside (NAT), and stopping the hackers from accessing our internal network from the Internet (CBAC). And all this was done without affecting our internal users. After selling this for the last couple of months, I now have the CIO referring to this as our Organization's security policy and he has started the process of documenting it so that it can be formalized into the written policy.

Looking back on this process I can see a couple of important lessons learned. Foremost, security is a very complex subject and a lot of smart people, for whatever reasons, just don't understand what it is, how important it is, or how to come up with or even get started with a security policy. You will constantly have to raise their awareness on this subject. Lastly, even if your organization fails to give you a good/any policy there are still a lot of security features that can be implemented onto any network without limiting what your users can do. In the above example I converted our perimeter router into a stateful firewall. Although the can hardly be considered as securing the subnet containing the Program that secured the Grant, it is none-the-less a very good first start.

From this stance it has been much easier to talk with the Program that secured the Grant, explaining what we have done and what we perceive to be their remaining risks. I'm happy to say that they have come up with their own draft Security Policy and funding to purchase a Firewall to be place between them and our internal network. For this reason, I am thankful that Cisco has a Firewall feature set that is capable of changing a normal router into a stateful firewall.

## Resources

SANS Security Institute

URL:<http://www.sans.org/newlook/home.htm>

Health Care Financing Administration,

“The Health Insurance Portability and Accountability Act of 1996 (HIPAA) Page”

URL:<http://www.hcfa.gov/hipaa/hipaahm.htm>

Cisco Systems

URL:<http://www.cisco.com/>

Cisco Systems, “Cisco IOS Firewall Feature Set Cisco IOS Firewall Feature Set”

URL:<http://www.cisco.com/univercd/cc/td/doc/product/software/ios120/120newft/120t/120t3/fw7200.htm>

Cisco Systems, “Access Control Lists: Overview and Guidelines”

URL:[http://www.cisco.com/univercd/cc/td/doc/product/software/ios121/121cgcr/secr\\_c/scprt3/scdacls.htm](http://www.cisco.com/univercd/cc/td/doc/product/software/ios121/121cgcr/secr_c/scprt3/scdacls.htm)

Unix Workstation Support Group, “ISO/OSI Network Model”

URL: [http://www.uwsg.iu.edu/usail/network/nfs/network\\_layers.html](http://www.uwsg.iu.edu/usail/network/nfs/network_layers.html)

Cisco Systems, “Lock-and-Key: Dynamic Access Lists”

URL: <http://www.cisco.com/warp/public/69/13.html>

Cisco Systems, “Configuring IP Session Filtering (Reflexive Access Lists)”

URL:[http://www.cisco.com/univercd/cc/td/doc/product/software/ios113ed/113ed\\_cr/secr\\_c/scprt3/screflex.htm](http://www.cisco.com/univercd/cc/td/doc/product/software/ios113ed/113ed_cr/secr_c/scprt3/screflex.htm)

Cisco Systems, “Configuring TCP Intercept (Prevent Denial-of-Service Attacks)”

URL:[http://www.cisco.com/univercd/cc/td/doc/product/software/ios120/12cgcr/secr\\_c/scprt3/scdenial.htm](http://www.cisco.com/univercd/cc/td/doc/product/software/ios120/12cgcr/secr_c/scprt3/scdenial.htm)

Cisco Systems, “Context-Based Access Control”

URL:[http://www.cisco.com/univercd/cc/td/doc/product/software/ios120/120newft/120t/120t5/iosfw2/iosfw2\\_2.htm](http://www.cisco.com/univercd/cc/td/doc/product/software/ios120/120newft/120t/120t5/iosfw2/iosfw2_2.htm)

Cisco Systems, “Configuring TACACS and Extended TACACS”

URL:[http://www.cisco.com/univercd/cc/td/doc/product/software/ios113ed/113ed\\_cr/secr\\_c/scprt2/sctcacs.htm](http://www.cisco.com/univercd/cc/td/doc/product/software/ios113ed/113ed_cr/secr_c/scprt2/sctcacs.htm)

Cisco Systems, “Remote Authentication Dial-In User Service (radius)”

URL:<http://198.69.98.2/~newwave/radius.html>

Massachusetts Institute of Technology, “Kerberos: The Network Authentication Protocol”

URL:<http://web.mit.edu/kerberos/www/>

Cisco Systems, “Configuring Network Address Translation: Getting Started”

URL:<http://www.cisco.com/warp/public/556/12.html>

Cisco Systems, “Cisco IOS Software Feature: Network-Layer Encryption”

URL:[http://www.cisco.com/warp/public/cc/so/neso/sqso/eqso/encrp\\_wp.htm](http://www.cisco.com/warp/public/cc/so/neso/sqso/eqso/encrp_wp.htm)

Cisco Systems, “IP Security Protocol (ipsec)”

URL:<http://www.ietf.org/html.charters/ipsec-charter.html>

Cisco Systems, “Neighbor Router Authentication: Overview and Guidelines”

URL:[http://www.cisco.com/univercd/cc/td/doc/product/software/ios113ed/113ed\\_cr/secu\\_r\\_c/scprt5/scrouter.htm](http://www.cisco.com/univercd/cc/td/doc/product/software/ios113ed/113ed_cr/secu_r_c/scprt5/scrouter.htm)

Egevang, “The IP Network Address Translator (NAT)”, May 1994.

URL: <http://www.ietf.org/rfc/rfc1631.txt>

Rekhter, “Address Allocation for Private Internets”, February 1996

URL: <http://www.ietf.org/rfc/rfc1918.txt>

Cisco Systems, “Configuring Access Control Lists”

URL:[http://www.cisco.com/univercd/cc/td/doc/product/lan/cat6000/sw\\_5\\_4/msfc/acc\\_list.htm](http://www.cisco.com/univercd/cc/td/doc/product/lan/cat6000/sw_5_4/msfc/acc_list.htm)

SANS Security Institute, “Cisco Anti-Spoof Egress Filtering”, March 2000

URL:[http://www.sans.org/dosstep/cisco\\_spoof.htm](http://www.sans.org/dosstep/cisco_spoof.htm)

Ferguson, “Network Ingress Filtering: Defeating Denial of Service Attacks which employ IP Source Address Spoofing”, January 1998

URL:<http://www.landfield.com/rfcs/rfc2267.html>

Cisco Systems, “Cisco ConfigMaker”

URL:<http://www.cisco.com/univercd/cc/td/doc/clckstrt/cfgmkr/>

Cisco Systems, “The Cisco IOS Firewall Feature Set and Context-Based Access Control”

URL:[http://www.cisco.com/univercd/cc/td/doc/product/software/ios113ed/113t/113t\\_3/firewall.htm](http://www.cisco.com/univercd/cc/td/doc/product/software/ios113ed/113t/113t_3/firewall.htm)

Cisco Systems, Inc. Cisco IOS 12.0 Network Security. Indianapolis, IN: Cisco Press, 1999



# Upcoming SANS Training

[Click Here for a full list of all Upcoming SANS Events by Location](#)

|  |                     |                             |            |
|--|---------------------|-----------------------------|------------|
| SANS Security East 2018                          | New Orleans, LAUS   | Jan 08, 2018 - Jan 13, 2018 | Live Event |
| SANS Amsterdam January 2018                      | Amsterdam, NL       | Jan 15, 2018 - Jan 20, 2018 | Live Event |
| Northern VA Winter - Reston 2018                 | Reston, VAUS        | Jan 15, 2018 - Jan 20, 2018 | Live Event |
| SEC599: Defeat Advanced Adversaries              | San Francisco, CAUS | Jan 15, 2018 - Jan 20, 2018 | Live Event |
| SANS Dubai 2018                                  | Dubai, AE           | Jan 27, 2018 - Feb 01, 2018 | Live Event |
| SANS Las Vegas 2018                              | Las Vegas, NVUS     | Jan 28, 2018 - Feb 02, 2018 | Live Event |
| Cyber Threat Intelligence Summit & Training 2018 | Bethesda, MDUS      | Jan 29, 2018 - Feb 05, 2018 | Live Event |
| SANS Miami 2018                                  | Miami, FLUS         | Jan 29, 2018 - Feb 03, 2018 | Live Event |
| SANS Scottsdale 2018                             | Scottsdale, AZUS    | Feb 05, 2018 - Feb 10, 2018 | Live Event |
| SANS London February 2018                        | London, GB          | Feb 05, 2018 - Feb 10, 2018 | Live Event |
| SANS Southern California- Anaheim 2018           | Anaheim, CAUS       | Feb 12, 2018 - Feb 17, 2018 | Live Event |
| SANS Secure India 2018                           | Bangalore, IN       | Feb 12, 2018 - Feb 17, 2018 | Live Event |
| SANS Dallas 2018                                 | Dallas, TXUS        | Feb 19, 2018 - Feb 24, 2018 | Live Event |
| SANS Brussels February 2018                      | Brussels, BE        | Feb 19, 2018 - Feb 24, 2018 | Live Event |
| SANS Secure Japan 2018                           | Tokyo, JP           | Feb 19, 2018 - Mar 03, 2018 | Live Event |
| Cloud Security Summit & Training 2018            | San Diego, CAUS     | Feb 19, 2018 - Feb 26, 2018 | Live Event |
| SANS New York City Winter 2018                   | New York, NYUS      | Feb 26, 2018 - Mar 03, 2018 | Live Event |
| CyberThreat Summit 2018                          | London, GB          | Feb 27, 2018 - Feb 28, 2018 | Live Event |
| SANS London March 2018                           | London, GB          | Mar 05, 2018 - Mar 10, 2018 | Live Event |
| SANS San Francisco Spring 2018                   | San Francisco, CAUS | Mar 12, 2018 - Mar 17, 2018 | Live Event |
| SANS Secure Osaka 2018                           | Osaka, JP           | Mar 12, 2018 - Mar 17, 2018 | Live Event |
| SANS Secure Singapore 2018                       | Singapore, SG       | Mar 12, 2018 - Mar 24, 2018 | Live Event |
| SANS Paris March 2018                            | Paris, FR           | Mar 12, 2018 - Mar 17, 2018 | Live Event |
| SANS SEC460: Enterprise Threat Beta              | OnlineCAUS          | Jan 08, 2018 - Jan 13, 2018 | Live Event |
| SANS OnDemand                                    | Books & MP3s OnlyUS | Anytime                     | Self Paced |